EXAMINER David a Launders

NOV 0 6 2003 &

M PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001

GROUP: 1644

EXAM.		DOCUMENT	DATE	NAME	CLASS	SUB	FILING DATE IF
INIT.	<u> </u>	NUMBER	<u> </u>	NAME	CLASS	CLASS	APPROPRIATE
جي ا	AL	07/348,237	5/5/89	Rosenblum et al.	+		
SHE	A2	4,196,265	4/1/80	Koprowski et al.			
	A3	4,469,797	9/4/84	Albarella		-	
7	A4 /	4,676,980	6/30/87	Segal et al.			
	ÁS ·	4,816,567	3/28/89	Cabilly et al.	-		
	A6	4,946,778	8/7/90	Ladner et al.	_	1	
	AT	5,019,368	5/28/91	Epstein et al.	-		
	A8	5,073,627	12/17/91	Curtis et al.			
7	A9	5,114,711	5/19/92	Bell et al.	_		·
į	A10 .	5,116,964	5/26/92	Capon et al.			
	All	5,199,942	4/6/93	Gillis	-		
	A12	5,225,538	7/6/93	Capon et al.			
	A13,-	5,225,539	7/6/93	Winter			
	A14	5,258,498	.11/2/93	Huston et al	_	<u>'</u>	RECEN
į	A15	5,314,995	5/24/94	Fell, Jr. et al.			NOV
	A16	5,349,053	9/20/94	Landolfi		- 7	
	A17	5,359,035	10/25/94	Habermann	_	- "	CH CENTER 160
:	A18	5,514,582	5/7/96	Capon et al.		<i>-</i>	
1.	A19	5,538,866	7/23/96	Israeli et al.	. :-	-	
1,	A20	5,541,087	7/30/96	Lo et al.			
	A21	5,543,297	8/6/96	Cromlish, et al.	-	-	
1	A22	5,552,524	09/03/96	Basinski et al.	-	-	
1	A23	5,585,089	12/17/96	Queen et al.	_	-	
1	A24	5,609,846	3/11/97	Goldenberg		-	
1	A25	5,624,821	4/29/97	Winter et al.		1	

DATE CONSIDERED

94

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

APPLICANI(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001

GROUP: 1644

		<u>۸</u>		FIGHO DATE: 1	columy os,	200.		
sal.	Ã26	5,639,725	6/17/97	O'Reilly et al.			Land Art Control of the Control of t	
1	A27	5,645,835	7/8/97	Fell, Jr. et al.				
1	A28	5,650,492	1912ח	Gately et al.	_	مس <i>ب</i>		
1	A29	5,667,776	9/16/97	Zimmerman et al.		<i></i>		
1	Á30	5,679,543	10/21/97	Lawlis		<i>ب</i> .		
1	A31	5,691,309	11/25/97	Basinski et al.	-			
1	·A32	5,709,859	1/20/98	Aruffo et al.	-			
1-	A33	5,719,266	02/17/98	DiMarchi et al.	_			
\top	A34	5,726,044	3/10/98	Lo et al.		_		
1	A35	5,728,552	3/17/98	Fujisawa et al.			-1	
7	Á36	5,733,876	3/31/98	O'Reilly et al.		_		
1	Á37	5,756,461	05/26/98	Stephens	_			
1	A38	5,759,551	6/2/98	Ladd et al.	_	_		
	A39	5,770,195	6/23/98	Hudziak et al.	_	_		
1	A40_	, 5,800,810	9/1/98	Doyle et al.	T -			
	A41	5,807,715	9/15/98	Morrison et al.		_		
	Á42	5,827,516	10/27/98	Urban et al.	-			
	A43	5,837,682	11/17/98	Folkman et al.	T	_		
1	A44	5,843,423	12/1/98	Lyman et al.		_	RECEIV	YF
	A45	5,854,205	12/29/98	O'Reilly et al.		_	NOV 1 0 20	
	A46	5,856,298	1/5/99	Strickland		-	IFCH CENTED	J
1	A47	5,858,347	1/12/99	Bauer et al.	_	. ,	RECEIV NOV 1 0 26 TECH CENTER 160	1/2
1	A4B	5,885,795	3/23/99	O'Reilly et al.	1-			
1	-A49	5,886,178	3/23/99	Allon et al.	-			
+	A50	5,888,772	3/30/99	Okasinski et al.		_		
 	A51	5,922,685	7/13/99	Rakhmilevich et al.	-	-		
+	A52	5,994,126	11/30/99	Steinman et al.		T -]
4	A53	6,080,409	6/27/00	Laus et al.	1_	-		1

EXAMINER David a S	aunders	DATE CONSIDERED	11/04

EXPRESS MAIL LABEL NO. EV289510878US SHEET 3 OF 16 ATTORNEY DOCKET NO.: LEX-011 (4006/23) FRM PTO - 1449 SUPPLEMENTAL INFORMATION APPLICANT(S): Gillies et al. DISCLOSURE STATEMENT SERIAL NO.: 09/780,668 CONF.: 8264 FILING DATE: February 09, 2001 **GROUP: 1644** 6,086,875 7/11/00 Blumberg et al. A54 Chen et al. A55 6,169,070 1/2/01 1/9/01 Carron et al. A56 6,171,588 6,277,375 8/21/01 Ward A57 2/19/02 Chan et al. 6,348,192 A58 A59 6,406,689 6/18/02 Falkenberg et al. FOREIGN PATENT DOCUMENTS CLASS FILING ABSTRACT **ENGLISH** EXAM. DOCUMENT DATE COUNTRY SUB NUMBER CODE CLASS DATE ONLY LANG INIT. (Y/N) Y BI 0 158 198 A1 10/16/85 EP Y EP **B2** 0 211 769 A2 2/25/87 **B3** 0 256 714 A2 2/24/88 EP 0 294 703 A2 12/14/88 EP **B4** EP 85 0 308 936 BI 3/29/89 0314317B1 5/3/89 EP **B6** TECH CENTER ! 6/7/89 EP **D7** 0 318 554 B1 0 3 19 0 12 A2 6/7/89 EP B8 EP 0 326 120 B1 8/2/89 В9 BIO 0 350 230 A2 1/10/90 EP 0 375 562 B1 6/27/90 EP Y B11 0 396 387 A2 11/7/90 EP B12 Y **B13** 0 439 095 A2 7/31/91 EP Y 0 511 747 A1 11/4/92 EP B14 BÍS 0 601 043 B1 6/15/94 EP Υ Y 0 640 619.A1 3/1/95 EР B16 Y 0 668 353 A1 8/23/95 EP B17

EXAMINER David as aunders	DATE CONSIDERED	3/1/04	

Y

0 706 799 A2

0 790 309 A1

B18 B19 4/17/96

8/20/97

EP

EP

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al. SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT** CONF.: 8264 SERIAL NO.: 09/780,668 **GROUP: 1644** FILING DATE: February 09, 2001 3/23/89 ΑU **B20** 21725/88 4 a R21 93100115.3 7/14/93 Y **B22** 93100115.3 7/14/93 CN 37.12985 At 1173/88 30 **B23** Y 37 12985 11/2/88 DE **B24** ωQu 2 292 382 A 2/21/96 GB Y B25 B26 63-267278 11/4/88 N SU ΙP Y 63-267278 11/4/88 **B27** 63-267296 11/4/88 JP B28 B29 63-267296 11/4/88 лP Aud English counterpart of JP 63-267296 0 237 019 A2 **B30** 9/16/87 EP WO 86/01533 3/13/86 **PCT** B31 WO 88/00052 1/14/88 B32 PCT Y B33 WO 88/09344 12/1/88 **PCT B34** WO 89/02922 4/6/89 PCT WO 89/09620 10/19/89 **PCT** Abstract in English B35 WO 90/03801 4/19/90 PCT **B**36 **B37** WO 91/00360 1/10/91 PCT **B38** WO 91/04329 04/04/91 PCT B39 WO 91/08298 6/13/91 PCT WO 91/13166 9/5/91 PCT B40 B41 WO 91/14438 10/3/91 **PCT** B42 WO 92/02240 2/20/92 **PCT** Y WO 92/08495 5/29/92 **PCT** B43 Y WO 92/08801 5/29/92 PCT **B44** WO 92/16562 10/1/92 PCT B45 WO 93/03157 **B**46 2/18/93 PCT **B47** WO 93/10229 5/27/93 PCT

FORM PTO - 1449

EXAMINER Quid a Soulndles DATE CONSIDERED

3/1/04

FORM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

•_	_				Libra	DAIL	reordary o	,, 2001	0.100		
Dul	B48	WO 94/24160	10/27/94	PCT						Υ	
	B49	WO 94/25055	11/10/94	PCT				-		Y	
	B 50	WO 95/05468	2/23/95	PCT	1	_				Y	
	. B51	WO 95/21258	8/10/95	PCT	-	_				Υ .	
1:	B52	WO 95/28427	10/26/95	PCT						Y	
•	B53	WO 95/31483	11/23/95	PCT						Y	
	B54	WO 96/04388	02/15/96	PCT)	·			Y	
30	B55	WO 96/05309	2/22/96	PCT						Y	
	B56	WO 96/08570	3/21/96	PCT		\				Y	
	B57	WO 96/31526	10/10/96	PCT						Y	
	B58	WO 97/00317	1/3/97	PCT)				Y	
T	B59	WO 97/15666	5/1/97	PCT	_	1				Y	
	B60	WO 97/20062	6/5/97	PCT	_)				Υ	
	B61	WO 97/24137	7/10/97	РСТ				•		Y	
	B62	WO 97/24440	7/10/97	PCT	_					Y	
	B63	WO 97/26335	7/24/97	PCT	~~	_				Y	}
· .	B64	WO 97/30089	8/21/97	PCT						Y	
į.	B65	WO 97/33617	9/18/97	PCT						Υ	j
:	B66	WO 97/33619	9/18/97	PCT						Y	
l	B67	WO 97/34631	9/25/97	PCT						کمہ	
	1B68	WO 97/43316	11/20/97	РСТ -					•	POF/	VEN
	B69	WO 98/00127	1/8/98	PCT					77-0	WDV 1 0	2003
	-B70	WO 98/06752	2/19/98	PCT					IECH.	PATER 10	000
1	B71	WO 98/28427	7/2/98	PCT	<u> </u>					NOV 1 0 PENTER 16	1 ⁴⁷²⁹⁰⁰
	B72	WO 98/30706	7/16/98	PCT						Y	
	1873	WO 98/46257	10/22/98	PCT						Y	
1,	B74	WO 98/59244	12/30/98	PCT						Y]
1	B75	WO 99/02709	01/21/99	PCT						Y]

EXAMINER DUING A SUMMED DATE CONSIDERED 3/1/0

C4

184:981-992.

ATTORNEY DOCKET NO.: LEX-011 (4006/23) **O**RM PTO - 1449 APPLICANT(S): Gillies et al. SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT CONF.: 8264 SERIAL NO.: 09/780,668 FILING DATE: February 09, 2001 **GROUP: 1644** 01/28/99 PCT WO 99/03887 **B76** γ 6/17/99 **B77** WO 99/29732 **B78** WO 99/52562 10/21/99 PCT Y Y PCT **D79** WO 99/53958 10/28/99 Υ 880 WO 99/60128 11/25/99 PCT Y B81 WO 99/62944 12/09/99 PCT Y PCT WO 99/66054 12/23/99 PCT Y B83-WO 00/11033 3/2/00 Y 06/15/00 B84 WO 00/34317 PCT Y PCT B85 WO 00/40615 7/13/00 B86 WO 00/68376 11/16/00 PCT Y Y **B87** WO 00/69913 11/23/00 PCT WO 00/78334 12/28/00 PCT B88 WO 01/07081 VO 01/10912- 2/15/01 PCT Y RECEIVED O 2003

OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publicative) CENTER 1600/2900 2/1/01 PCT B89 Al WO 01/10912-B90 AI B91 wo 03/015697 A2 EXAM. INIT. CI Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization," Journal of Protein Jus Chemistry, 11:5:433-444. Abstract XP-002116766, (1996), "Prostaglandins, their inhibitors and cancer," Prostaglandins, Leukotrienes C2 and Essential Fatty Acids, 54:2:83-94. Afonso et al., (1994), "The Adjuvant Effect of Interleukin-12 in a Vaccine Against Leishmania Major," C3 Science, 263:235-237.

examiner ∝	Iarrie	a	Spunder	PATE CONSIDERED	3/1/04

Arenberg et al. (1996), "Interferon-y-inducible Protein 10 (IP-10) Is an Angiostatic Factor That Inhibits

Human Non-small Cell Lung Cancer (NSCLC) Tumorigenesis and Spontaneous Metastases," J. Exp. Med.

M PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 (4006/23) SPPLEMENTAL INFORMATION APPLICANT(S): Gillies et al. DISCLOSURE STATEMENT SERIAL NO.: 09/780,668 CONF.: 8264 FILING DATE: February 09, 2001 **GROUP: 1644** Bacha et al., (1988), "Interleukin 2 Receptor-Targeted Cytotoxicity Interleukin 2 Receptor-mediated Action of a Diphtheria Toxin-related Interleukin 2 Fusion Protein," J. Experimental Medicine, 167:612-622 C6 Bachelot et al., (March 1998), "Retrovirus-Mediated Gene Transfer of an Angiostatin-Endostatin Fusion protein with Enhanced Anti-Tumor Properties In Vivo," Proceedings of the Annual Meeting of the American Association for Cancer Research, 39:271, Abstract #1856. **C7** Barnett et al., (1994), "Purification, characterization and selective inhibition of human prostaglandin G/H synthase I and 2 expressed in the baculovirus system," Biochimica et Biophysica Acta, 1209:130-139. Ċ8 Baselga, et al., (1998), "Recombinant Humanized Anti-HER2 Antibody (Herceptin TM) Enhances the Antitumor activity of Paclitazel and Doxorubicin against HER3/neu Overexpressing Human Breast Cancer Xenografts," Cancer Research, 58:2825-2831. C9 Batra et al., (1993), "Insertion of Constant Region Domains of Human IgG1 into CD4-PE40 Increases Its Plasma Half-Life," Mol. Immunol., 30:379-386. Becker et al., (1996), "An Antibody-Interleukin 2 Fusion Protein Overcomes Tumor Heterogeneity by C10 Induction of a Cellular Immune Response," Proc. Natl. Acad. Sci., 93:7826-7831. Becker et al., (1996), "Eradication of human hepatic and pulmonary melanoma metastases in SCID mice by CII Beutler et al., (1988), "Tumor Necrosis, Cachexia, Shock, and Innamed Rev. Biochem., 57:505-518.

Bissery et al., (1997), "The Taxoids," in Cancer Therapeutics; Experimental and Clinical Agents, Teich; ed., 175-193.

Bjorn et al., (1985), "Evaluation of Monoclonal Antibodies for the Development of Breast Capeer Transunotoxins," Cancer Research, 45:1214-1221. antibody-interleukin 2 fusion proteins," Proc. Natl. Acad. Sci. USA, 93:2702-2707. C12 C13

C14 C15 Boehm et al., (1998), "Zinc-Binding of Endostatin Is Essential for Its Antiangingenic Activity," Biochemical C16 and Biophysical Research Communications, 252:190-194. C17 Boissel et al., (1993), "Erythropoietin Structure-Function Relationships," The Journal of Biological Chemistry, 268:15983-15993. Brooks et al., (1994), "Integrin a, B, Antagonists Promote Tumor Regression by Inducing Apoptosis of Angiogenic Blood Vessels," Cell, 79:1157-1164. CI9 Buchli et al., (1993), "Structural and Biologic Properties of a Human Aspartic Acid-126 Interleukin-2 Analog," Archives of Biochemistry and Biophysics, 307:2:411-415. C20

Burgess et al., (1990), "Possible Dissociation of the Heparin-binding and Mitogenic Activities of Heparinbinding (Acidic Fibroblast) Growth Factor-1 from Its Receptor-binding Activities by Site-directed

EXAMINER David a Screnders DATE CONSIDERED

Mutagenesis of a Single Lysine Residue," Journal of Cell Biology, 111:2129-2138.

MIN 0 6 2003

F M PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264.

FILING DATE: February 09, 2001 GROUP: 1644

Duf	C2Í	Canfield et al., (1991), "The Binding Affinity of Human IgG for its High Affinity Fc Receptor is Determined by Multiple Amino Acids in the CH2 Domain and Is Modulated by the Hinge Region," <u>Journal of Experimental Medicine</u> , 173:6:1483-1491.
	C22	Cao et al., (1996), "Kringle Domains of Human Angiostatin," The Journal of Biological Chemistry, 271:46:29461-29467.
	C23	Cao et al., (1997), "Kringle 5 of Plasminogen is a Novel Inhibitor of Endothelial Cell Growth," The Journal of Biological Chemistry, 272:36:22924-22928.
	C24	Capon et al., (1989), "Designing CD4 immunoadhesins for AIDS therapy," Nature, 337:525-531.
	C25	Caton et al., (1986), "Structural and functional implications of a restricted antibody response to a defined antigenic region on the influenza virus hemagglutinin," The EMBO Journal, 5:7:1577-1587.
	C26	Chan et al., (1991), "Induction of Interferon y Production by Natural Killer Cell Stimulatory Factor: Characterization of the Responder Cells and Synergy with Other Inducers," J. Exp. Med., pp. 869-879.
	C27	Chang et al., (1989), "Overview of Interleukin-2 as an Immunotherapeutic Agent," Seminars in Surgical Oncology, 5:385-390.
	C28	Chang et al., (1996), "A Point Mutation in Interleukin-2 that Alters Ligand Internalization," <u>Journal of Biological Chemistry</u> , 271:23:13349-13355.
·	C29	Chaudhary et al., (1988), "Selective killing of HIV-infected cells by recombinant human CD4 Evidomonas exotoxin hybrid protein," Nature, 335:370-372.
	C30	Chaudhary et al., (1989), "A recombinant immunotoxin consisting of two antibody variable domains fused to Pseudomonas exotoxin," Nature, 339:394-397.
	C31	Chen et al., (1997), "Eradication of Murine Bladder Carcinoma by Intratumor Injection of a Bicistronic Adenoviral Vector Carrying cDNAs for the IL-12 Heterodimer and Its Inhibition by the IL-12 p40 Subunit Homodimer," <u>Journal of Immunology</u> , 159:1:351-358.
	C32	Cheon et al., (1994), "High-affinity binding sites for related fibroblast growth factor ligands reside within different receptor immunoglobulin-like domains," Proc. Natl. Acad. Sci. USA , 91: 989-993.
	C33	Chuang et al., (1993), "Effect of new investigational drug taxol on oncolytic activity and stimulation of human lymphocytes," Gynecol. Oncol., 49:291-298.
	C34	Cohen, S. L. et al., (1996), "Human leptin characterization," Nature, 382:589.
	·C35	Cole et al., (1997), "Human IgG2 Variants of Chimeric Anti-CD3 Are Nonmitogenic to T Cells," <u>Journal of Immunology</u> , 159:3613-3621.
	C36	Collins et al., (1988), "Identification of Specific Residues of Human Interleukin 2 that Affect Binding to the 70-kDa Subunit (p70) of the Interleukin 2 Receptor," Proc. Natl. Acad. Sci., 85:7709-7713.
J	C37	Colombo et al., (1996), "Amount of Interleukin 12 Available at the Tumor Site is Critical for Tumor Regression," Cancer Research, 56:2531-2534.
		<u> </u>

EXAMINER David a Securiles

DATE CONSIDERED 2 26 04

EIVE 0 2003

1600/2900

FGM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

ous	C38	D'Amato et al., (1994), "Thalidomide is an inhibitor of angiogenesis," <u>Proc. Natl. Acad. Sci. USA</u> , 91:4082-4085.
	C39	D'Andrea et al., (1992), "Production of Natural Killer Cell Stimulatory Factor (Interleukin 12) by Peripheral Blood Mononuclear Cells," J. Exp. Med., 176:1387-1398.
	C40	Ding et al., (1988), "Zinc-Dependent Dimers Observed in Crystals of Human Endostatin," Proceedings of the National Academy of Sciences of USA, 95:10443-10448.
ţ	C41	Earnest et al., (1992), "Piroxicam and Other Cyclooxygenase Inhibitors: Potential for Cancer Chemoprevention," J. Cell. Biochem, Supp. 161:156-166.
	C42	Eisenthal, (1990), "Indomethacin up-regulated the generation of lymphokine-activated killer-cell activity and antibody-dependent cellular cytotoxicity mediated by interleukin-2," Cancer Immunol. Immunotherap. 31:342-348.
	C43	Fell et al., (1991), "Genetic Construction and Characterization of Fusion Protein Consisting of a Chimeric F(ab") with Specificity for Carcinomas and Human IL-2," The J. of Immunology, 146:7:2446-2452.
	C44	Fell et al., (1992), "Chimeric L6 antitumor antibody," The J. of Biol, Chem., 267:15552-15558.
-	C45	Friedman, J. M. et al., (1998), "Leptin and the regulation of body weight in mammals," Nature, 395:763-770.
	C46	Gasson et al., (1984), "Purified Human Granulocyte Macrophage Colony-Stimulating Factor: Direct Action on Neutrophils," Science, 226:1339-1342.
	C47	Gately et al., (1998), "The Interleukin-12/Interleukin-12 Receptor system: Role in Normal and Pathological Immune Responses," Annu, Rev. Immunol., 16:495-521.
	C48	Gillessen et al., (1995), "Mouse Interleukin-12 (IL-12) p40 Homodimer: A Potent IL-12 Antagonist," Eur. J. Immunol., 25:200-206.
	C49	Gillies et al., (1989), "Expression of Human Anti-Tetanus Toxoid Antibody in Transfected Murine Myclome Cells," Bio/Technology, 7:799-804.
	C50	Gillies et al., (1989), "High-Level Expression of Chimeric Antibodies Using Adapted cDNA Variable Region Cassettes," J. Immunol, Methods, 125:191-202.
	-C51	Gillies et al., (1990), "Antigen binding and biological activities of engineered mutant chimeric antibodies with human tumor specificities," <u>Hum. Antibod, Hybridomas</u> , 1:1:47-54.
	C52	Gillies et al., (1992), "Antibody-Targeted Interleukin 2 Stimulates T-Cell Killing of Autologous Tumor Cells," Proc. Natl. Acad. Science, 89:1428-1432.
	C53	Gillies et al., (1993), "Biological Activity and In Vivo Clearance of Antitumor Antibody/Cytokine Fusion Proteins," <u>Bioconjugate Chem.</u> , 4:230-235.
1	C54	Gillies et al., (1998), "Antibody-IL-12 fusion proteins are effective in SCID mouse models of prostate and colon carcinoma matastases," J. Immunology, 160:2:6195-6203.

DATE CONSIDERED 2/3-6/04 EXAMINED Facil a

ORM PTO - 1449

SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT**

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001

GROUP: 1644

sex!	C55	Gillis et al., (1978), "T Cell Growth Factor: Parameters of Production And A Quantitative Microassay for Activity," Journal of Immunology, 120:6:2027-2032.
1	C56	Goeddel et al., (1986), "Tumor Necrosis Factors: Gene Structure and Biological Activities," Pharm, Sciences, pp. 597-609.
i .	C57	Gren et al., (1983), "A New Type of Leukocytic Interferon," Dokl. Biochem., 269:91-95.
	C58	Griffon-Etienne et al., (1999), "Taxane-induced apoptosis decompresses blood vessels and lowers interstitial fluid pressure in solid tumors: clinical implications," Cancer Research, 59:3776-3782.
	C59	Grimaldi et al., (1989), "The t(5;14) Chromosomal Translocation in a Case of Acute Lymphocytic Leukemia Joins the Interleukin-3 Gene to the Immunoglobulin Heavy Chain Gene," <u>Blood</u> , 73:8:2081-2805.
	C60	Guyre et al., (1997), "Increased potency of Fc-receptor-targeted antigens," Cancer Immunol. Immunother., 45:146-148.
1.2	C61	Harris et al., (1993), "Therapeutic Antibodies - the Coming of Age," Tibtech, 11:42-44.
• . • -	C62	Harvill et al., (1995), "An IgG3-IL2 Fusion Protein Activates Complement, Binds FcYRI, Generates LAK Activity and Shows Enhanced Binding to the High Affinity IL-2R," Immunotech., 1:95-105.
٠.	C63	Harvill et al., (1996), "In vivo properties of an IgG3-IL-2 fusion protein: A general strategy for immune potentiation," <u>Journal of Immunology</u> , 157:7:3165-3170.
	C64	Hazama et al., (1993), "Adjuvant-Independent Enhanced Immune Responses to Recombinant Herpes Simplex Virus Type 1 Glycoprotein D by Fusion with Biologically Active Interleukin-2," <u>Vaccine</u> , 1 May 1636.
	C65	He et al., (1998), "Humanization and Pharmacokinetics of Monoclonal Antibody with Specificity for Both E./ and P-Selectin," J. Immunol., 1029-1035.
	C66	Heijnen et al., (1996), "Antigen Targeting to Myeloid-specific Human FcYRI/CD64 Triggers Enhanced Antibody Responses in Transgenie Mice," J. Clin. Invest., 97:2:331-338.
	C67	Heinzel et al., (1997), "In Vivo Production and Function of IL-12 p40 Homodimers," J. Immunol., 158:4381-4388.
	C68	Hellstrom et al., (1986), "Antitumor effects of L6, an IgG2a antibody that reacts with most human carcinomas," Proc. Natl. Acad. Sci., 83:18: 7059-7063.
7	C69	Henkart, (1985), "Mechanism of Lymphocyte-Mediated Cytotoxicity," Ann. Rev. Immunol., 3:31-58.
	C70	Herrmann et al., (1989), "Hematopoeitic Responses With Advanced Malignancy Treated With Recombinant Human Granulocyte-Macrophage Colony-Stimulating Factor," <u>Journal of Clinical Oncology</u> , 7:2:159-167.
	C71	Hohenester et al., (1998), "Crystal Structure of the Angiogenesis Inhibitor Endostatin at 1.5 Å Resolution," EMBO Journal, 17:6:1656-1664.
1	C72	Holden et al., (2001), "Augmentation of Anti-Tumor Activity of KS-IL2 Immunocytokine with Chemotherapeutic Agents," Proceedings of the American Association for Cancer Research, 42:683, Abstract No. 3675.

EXAMINER Dand 4-Screnders

DATE CONSIDERED

uriy 0 8 2003

FO M PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264.

FILING DATE: February 09, 2001 GROUP: 1644

	··	
gal	C73	Holden et al., (2001), "Augmentation of Antitumor activity of an Antibody-Interleukin 2 Immunocytokine with Chemotherapeutic Agents," Clinical Cancer Research, 7:2862-2869.
	C74	Hoogenboom et al., (1991), "Construction and expression of antibody-tumor necrosis factor fusion proteins," <u>Molecular Immunology</u> , 28:9:1027-1037.
	C75	Hoogenboom et al., (1991), "Targeting of Tumor Necrosis Factor to Tumor Cells Secretion by Myeloma Cells of a Genetically Engineered Antibody-Tumor Necrosis Factor Hybrid Molecule," <u>Biochim, and</u> <u>Biophys. Acta</u> , 1096:4:345-354 (Abstract).
	C76	Hornick et al. (1999), "Pretreatment with a monoclonal antibody/interleukin-2 fusion protein directed against DNA enhances the delivery of therapeutic molecules to solid tumors," Clin. Cancer Res., 5:51-60.
	C77	Hu et al., (1996), "A Chimeric Lym-1/Interleukin 2 Fusion Protein for Increasing Tumor Vascular Permeability and Enhancing Antibody Uptake'," Cancer Research, 56:4998-5004.
	C78	Huck et al., (1986), "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cy genes," <u>Nucleic Acids Research</u> , Vol. 14:4:1779-1789.
	C79	Huse et al., (1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," Science, 246:1275-1281.
	C80	Ingber et al., (1990), "Synthetic analogues of fumagillin that inhibit angiogenesis and suppress tumour growth," Nature, 348:555-557.
	C81	Jones et al., (1986), "Replacing the complementarity-determining regions in a human antibody with those from a mouse," Nature, 321:6069:522-525.
;. ¹	C82 -	Ju et al., (1987), "Structure-Function Analysis of Human Interleukin-2," Journal of Biological Chem Structure 262: 12:5723-5731.
	C83	Jung et al., (1986), "Activation of human peripheral blood mononuclear cells by anti-T3: Killing of tuatory target cells coated with anti-target-anti-T3 conjugates," Proc. Natl. Acad. Sci., 83:4479-4483.
	C84	Junghans et al., (1996), "The protection receptor of IgG catabolism is the B2-micorgobulin-containing reconstal intestinal transport receptor," Proc. Natl. Acad. Sci. , 93:11:5512-5516.
	C85	Kang et al., (1991), "Antibody redesign by chain shuffling from random combinatorial immunoglobulin libraries," Proc. Natl. Acad. Sci., 88:11120-11123.
·	C86	Kappel et al., (1992), "Regulating gene expression in transgenic animals," <u>Current Opinion in Biotechnology</u> 3:548-553
	C87	Karpovsky et al., (1984), "Production of Target-Specific Effector Cells using Hetero-Cross Linked Aggregate Containing Anti-Target Cell and AntiFcλ Receptor Antibodies," <u>Journal of Experimental Medicine</u> , 160:6:1686-1701.
V	C88	Kim et al., (1997), "An Ovalbumin-IL-12 fusion protein is more effective than ovalbumin plus free recombinant IL-12 in inducing a T helper cell type 1-dominated immune response and inhibiting antigen-specific IgE production," <u>Journal Immunology</u> , 158:9:4137-4144.
		<u> </u>

EIVEL 0 2003 1600/2900

EXAMINER Duis a Sacrelle DATE CONSIDERED 4/26/04

FORM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

Suy	C89	Kim et al., (1999), "Cytokine Molecular Adjuvants Modulate Immune Responses Induced by DNA Vaccine Constructs for HIV-1 and SIV," Journal of Interferon and Cytokine Research, 19:77-84.
1	C90	Kranz et al., (1984), "Attachment of an anti-receptor antibody to non-target cells renders them susceptible to lysis by a clone of cytotoxic T lymphocytes," Proc. Natl. Acad. Sci. , 81:7922-7926.
	C91	Kuo et al., (2001), "Oligomerization-dependent Regulation of Motility and Morphogenesis by the Collagen XVIII NCI/Endostatin Domain," <u>Journal of Cell Biology</u> , 152:6:1233-1246.
7	C92	LaVallie et al., (1993), "Cloning and Functional Expression of a cDNA Encoding the Catalytic Subunit of Bovine Enterokinase," Journal of Biological Chemistry, 268:31:23311-23317.
	C93	Lazar et al., (1988), "Transforming Growth Factor o: Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities," Molecular and Cellular Biology, 8:3:1247-1252.
	C94	LeBerthon et al., (1991), "Enhanced Tumor Uptake of Macromolecules Induced by a Novel Vasoactive Interleukin 2 Immunoconjugate," Cancer Research, 51:2694-2698.
	C95	Lieschke, et al., (1997), "Bioactive murine and human interleukin-12 fusion proteins which retain antitumor activity in vivo," Nature Biotechnology, 15:1:35-40.
	Ć%	Linsley et al., (1991), "CTLA-4 is a Second Receptor for B Cell Activation Antigen B7," <u>Journal of Experimental Medicine</u> , 174:3:561-569.
-	C97	Liu et al., (1985), "Heteroantibody Duplexes Target Cells for Lysis by Cytotoxic T Lymphocytes," <u>Proc.</u> Natl. Acad. Sci., 82:8648-8652.
	C98	Liu et al., (1988), "Hormone Conjugated with Antibody to CD3 Mediates Cytotoxic T Cell Lysis of Melanoma Cells," Science, 239:395-398.
ζ	C99	Liu et al., (1998), "Immunostimulatory CpG Oligodeoxynucleotides Enhance the Immune Response to VOV 7 Vaccine Strategies Involving Granulocyte-Macrophage Colony-Stimulating Factor," <u>Blood.</u> 97 Phy 730-3736.
i.	C100	Lo et al., (1998), "High Level Expression and Secretion of Fc-X Fusion Proteins in Mammalian Cells," Protein Engineering, 11:6:495-500.
	C101	Lode et al., (1998), "Immunocytokines: a promising approach to cancer immunotherapy," Pharmacol, Thera, 80:3:277-292.
	CÍ02	Lode et al., (1998), "Natural Killer Cell-Mediated Eradication of Neuroblastoma Metastases to Bone Marrow by Targeted Interleukin-2 Therapy," <u>Blood</u> , 91:5:1706-1715.
	C103	Lode et al., (1999), "Synergy between an antiangiogenic integrin av antagonist and an antibody-cytokine fusion protein eradicates spontaneous tumor metastases," <u>Proc. Natl. Acad. Sci.</u> , 96:1591-1596.
	Ċ104	Lode et al., (1999), "Tumor-targeted IL-2 amplifies T cell-mediated immune response induced by gene therapy with single-chain IL-12," Proc. Natl. Acad. Sci., 96:8591-8596.
	C105	Lode et al., (2000), "Amplification of T Cell Mediated Immune Responses by Antibody-Cytokine Fusion Proteins," Immunological Investigations, 29:2:117-120.

EXAMINER DUING A Sounder DATE CONSIDERED 2/26/04

EIVEL 0 2003 1600/2900 HOV 0 6 2003 5

EERM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

		Tibino Data. Testably 09, 2001 Green. 1044
gus	C106	Maloney et al., (1994), "Phase I Clinical Trial Using Escalating Single-Dose Infusion of Chimeric Anti- CD20 Monoclonal Antibody (IDEC-C2B8) in Patients with Recurrent B-Cell Lymphoma," <u>Blood</u> , 842:2457-2466.
	C107	Mark et al., (1992), "Expression and characterization of hepatocyte growth factor receptor-IgG fusion proteins," <u>Journal of Biological Chemistry</u> , 267:36:26166-26171.
	Ć108	Martinotti et al., (1995), "CD4 T Cells Inhibit in vivo the CD8-Mediated Immune Response Again Mukin, Colon Carcinoma Cells Transduced with Interleukin-12 Genes," Eur. J. Immunol. 25:137-146.
,	C109	Medesan et al., (1997), "Delineation of the Amino Acid Residues Involved in Transcytosis and Catabolisms of Mause IgG1"," J. Immunology, 158:5:2211-2217.
	C110	Mestre et al., (1997), "Retinoids Suppress Epidermal Growth Factor-induced Transcription of Cyclooxygenase-2 in Human Oral Squamous Carcinoma Cells," Cancer Research, 57:2890-2895.
	CIII	Mosmann et al., (1989), "TH1 and TH2 CELLS: Different Patterns of Lymphokine Secretion Lead to Different Functional Properties," <u>Ann. Rev. Immunol</u> , 7:145-173.
	C112	Mott et al., (1995), "The Solution Structure of the F42A Mutant of Human Interleukin 2," <u>J. Mol. Biol.</u> , 247:979-994.
	C113	Mullins et al., (1998), "Interleukin-12 overcomes paclitaxel-mediated suppression of T-cell proliferation," Immunopharmacol. Immunotoxicol., 20:4:473-492.
	C114	Murphy et al., (1986), "Genetic construction, expression, and melanoma-selective cytotoxicity of a diphtheria toxin-related α-melanocyte-stimulating hormone fusion protein," <u>Proc. Natl. Acad. Sci.</u> , 83:8258-8262.
	C115	Murphy, (1988), "Diphtheria-related peptide hormone gene fusions: A molecular gene approach to chimeric toxin development," <u>Immunotoxins</u> , 123-140.
	C116	Nedwin et al., (1985), "Human Lymphotoxin and Turnor Necrosis Factor Genes: Structure, Homology and Chromosomal Localization," Nucleic Acids Research, 13:17:6361-6373.
	C117	Netti et al., (1995); "Time-dependent behavior of interstitial fluid pressure in solid tumors: implications for drug delivery," Cancer Research, 55:5451-5458.
	C118	Netti et al., (1999), "Enhancement of fluid filtration across tumor vessels: implication for delivery of macromolecules," Proc. Nat. Acad. Sci. , 96:3137-3142.
	C119	Neuberger et al., (1984), "Recombinant Antibodies Possessing Novel Effector Functions," Nature, 312:604-608.
V	C120	O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328.
1	Ċ121	O'Reilly et al., (1996), "Angiostatin induces and sustains dormancy of human primary tumors in mice," Nature Medicine, 2:6:689-692.

EXAMINER David Afaunders DATE CONSIDERED 2/26/04

	0	6	W	+
NO.	TR.	AQ	EMAR	

RM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GI

GROUP: 1644

		3.5.00
B	C122	O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell. 88:277-285.
	C123	Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," <u>Journal of Biological Chemistry</u> , 264:26:15157-15160.
	C124	Paul et al., (1988), "Lymphotoxin," <u>Ann. Rev. Immunol.</u> , 6:407-438.
1	C125	Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target cell antibodies," J. Exp. Medicine, 163:166-178.
	C126	Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," <u>Journal of Immunology</u> , 142:10:3662-3667.
T	C127	Polizzi et al., (1999), "A novel taxane with improved tolerability and therapeutic activity in a panel of human tumor xenografts," Cancer Research, 59:1036-1040.
	C128	Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," ProcNm/ ! Acad, Sci., 94:20:10889-10894.
1	-	Microbiology and Immunology 27-53
	C130	Reisfeld et al., (1997), "Immunocytokines: a new approach to immunotherapy of melanoma," Malanoma Research, 7:2:S99-S106.
	C131	Riethmuller et al., (1994), "Randomised trial of monoclonal antibody for adjuvant therapy of resected Dukes' C colorectal carcinoma," The Lancet, 343:1177-1183.
	C132	Roessler et al., (1994), "Cooperative interactions between the interleukin 2 receptor α and β chains alter the interleukin 2-binding affinity of the receptor subunits," <u>Proc. Natl. Acad. Sci.</u> , 91:3344-3347.
	C133	Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, Third Edition, 8.3-8.4.
	C134	Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: current status and future prospects," Immunology Today, 9:2:58-62.
	C135	Rozwarski et al., (1994), "Structural comparisons among the short-chain helical cytokines," <u>Structure</u> , 2:3:159-173.
	C136	Santon et al., (1986), "Effects of Epidermal Growth Factor Receptor Concentration on Tumorigenicity of A431 Cells in Nude Mice," Cancer Research, 46:4701-4705.
	C137	Sasaki et al., (1998), "Structure, function and tissue forms of the C-terminal globular domain of collagen XVII containing the angiogenesis inhibitor endostatin," The EMBO Journal, 17:15:4249-4256.
V	C138	Sauve et al., (1991), "Localization in human interleukin 2 of the binding site of the a chain (p55) of the interleukin 2 receptor," Proc. Natl. Acad. Sci., 88:4636-4640.

EXAMINER DUNG A Saunday DATE CONSIDERED 2/26/04

RM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

C139	Schnee et al., (1987), "Construction and expression of a recombinant antibody-targeted plasminogen activator," Proc. Natl. Acad. Sci., 84:6904-6908.
C140	Schoenhaut et al., (1992), "Cloning and Expression of Murine IL-12," <u>Journal of Immunology</u> , 148:11:3433-3340.
C141	Senter et al., (1988), "Anti-tumor effects of antibody-alkaline phosphatase conjugates in combination with etoposide phosphate," Proc. Natl. Acad. Sci., 85:13:4842-4846.
C142	Shanafelt et al., (2000), "A T-cell-selective interleukin 2 mutein exhibits potent antitumor activity and is well tolerated in vivo," Nature Biotechnology, 18:1197-1202.
C143	Sharma et al., (1999), "T cell-derived IL-10 promotes lung cancer growth by suppressing both T cell and APC function," Journal of Immunology, 163:5020-5028.
C144	Shen et al., (1986), "Heteroantibody-Mediated Cytotoxicity: Antibody to the high affinity Fc receptor for IgG mediates cytotoxicity by human monocytes that is enhanced by interferon-λ and is not blocked by human IgG," Journal of Immunology, 137:11:3378-3382.
C145	Shiff et al., (1995), "Sulindac Sulfide, an Asprin-like Compound, Inhibits Proliferation, Causes Cell Cycle Quiescence, and Induces Apoptosis in HT-29 Colon Adenocarcinoma Cells," <u>Journal of Clinical Investigation</u> , 96:491-503.
C146	Shin et al., (1990), "Expression and characterization of an antibody binding specificity joined to insulin-like growth factor 1: Potential applications for cellular targeting," Proc. Natl. Acad. Sci., 87:5322-5326.
C147	Sim et al., (1997), "A Recombinant Human Angiostatin Protein Inhibits Experimental Primary and Metastatic Cancer," Cancer Research, 57:1329-1334.
C148	Stevenson et al., (1997), "Conjugation of Human Fey in Closed-Hinge or Open-Hinge Configuration to Fab'y and Analogous Ligands," Journal of Immunology, 158:2242-2250.
C149	Sulitzeanu et al., (1993), "Immunosuppressive factors in human cancer," Adv. Cancer Research, 60:247-267.
C150	Taniguchi et al., (1983), "Structure and expression of a cloned cDNA for human interleukin-2," Nature, 302:305-309.
C151	Tao et al., (1989), "Studies of Aglycosylated Chimeric Mouse IgG: Role of Carbohydrate in the Structure and Effector Functions Mediated by the Human IgG Constant Region," <u>Journal of Immunology</u> , 143:8:2595-2601.
C152	Tao et al., (1993), "Structural Features of Human Immunoglobulin G that Determine Isotype-Differences in Complement Activation," Journal of Experimental Medicine, 178:2:661-667.
C153	Teicher et al., (1994), "Potentiation of Cytotoxic Cancer Therapies by TNP-470 Alone and With Other Anti-Angiogenic Agents," Int. J. Cancer, 57:920-925.
C154	The Merck Manual of Diagnosis and Therapy, 990-993, 1278-1283 (17th ed. 1999).
C155	Till et al., (1988), "An Assay that Predicts the Ability of Monoclonal Antibodies to Form Potent Ricin A Chain-containing Immunotoxins," Cancer Research, 48:5:1119-1123
	C140 C141 C142 C143 C144 C145 C146 C147 C148 C150 C151 C152 C153

EXAMINER David a Scecensers

DATE CONSIDERED 2604

AKCK ON ONE

M	PTO - 14	49	ATTORNEY DOCKET NO.: LEX-011 (4006/23)
SUPPLEMENTAL INFORMATION			APPLICANT(S): Gillies et al.
SCL	OSURE S	STATEMENT	SERIAL NO.: 09/780,668 CONF.: 8264
			FILING DATE: February 09, 2001 GROUP: 1644
94	C156	Till et al., (1988), "HIV-Infected Cells are	Killed by rCD4-Ricin A Chain," Science, 242:1166-1168
1	C157		okine Produced by Antigen-Presenting Cells With ration of T-Helper Cells Type 1 and Cytotoxic Lymphocytes,"
1	C158	Vagliani et al., (1996), "Interleukin 12 Po transduced Tumor Cells," <u>Cancer Researc</u>	tentiates the Curative Effect of a Vaccine Based on Interleukin 2- h, 36:467-470.
T	C159	Varki et al., (1984), "Antigens Associated antibodies," Cancer Research, 44:681-687	with a human lung adenocarcinoma defined by monoclonal 7.
	C160	Verhoeyen et al., (1988), "Reshaping Hur 239:1534-1536.	nan Antibodies: Grafting an Antilysozyme Activity," <u>Science,</u>
	C161		ression of Fas (Apo-1/CD95) ligand on multiple myeloma cells: a ppression of immune surveillance," <u>Blood</u> , 90:1:12-20.
1	C162	Watanabe et al., (1997), "Long-term deplo Blood, 90:9:3662-3672.	etion of naive T cells in patients treated for Hodgkin's disease,"
T	C163	Wen et al., (1993), "Erythropoietin Struct Among Mammals," <u>Blood</u> , 82:1507-1516	ure-Function Relationships: High Degree of Sequence Homology i.
	C164	Williams et al., (1986), "Production of an polymerase I Klenow fragment," <u>Gene</u> , 4:	tibody-tagged enzymes by myeloma cells: application to DNA 3:319-324.
	C165	Williams et al., (1987), "Diphtheria toxin construction and properties of a diphtherial:6:493-498.	tibody-tagged enzymes by myeloma cells: application to DNA 3:319-324. receptor binding domain substitution with interleukin-2: genetic a toxin-related interleukin-2 fusion protein," Protein Engineering, combinant Human Soluble Tumor Necrosis Factor Receptor Seed Arthritis in Mice," Journal Immunology, 151: 6602-6607. Growth with Recombinant Murine Angiostatin," Biochemical and 236:651-654. blished Murine Colon Carcinoma Metastases by Antibody-ancer Research, 57:4948-4955.
	C166	Wooley et al., (1993), "Influence of a Rec Fusion Protein on Type II Collagen-Induc	combinant Human Soluble Tumor Necrosis Factor Receptor 96, ced Arthritis in Mice," <u>Journal Immunology</u> , 151: 6602-6607.
	C167	Wu et al., (1997), "Suppression of Turnor Biophysical Research Communications, 2	Growth with Recombinant Murine Angiostatin," <u>Biochemical and</u> 236:651-654.
	C168	Xiang et al., (1997), "Elimination of Esta Interleukin 2 Fusion Protein Therapy," C	blished Murine Colon Carcinoma Metastases by Antibody- ancer Research, 57:4948-4955.
	C169		noncytolytic IL-10/Fc in muring models of lipopolysaccharide- ransplantation," Journal of Immunology, 154:5590-5600.

2698127

Ć170

EXAMINER David A Saus	DATE CONSIDERED	2/26/04
	· · · · · · · · · · · · · · · · · · ·	-

Differential Ability to Bind and Activate Complement," J. Biol. Chem., 269:3469-3474.

Xu et al., (1994), "Residue at Position 331 in the IgG1 and IgG4 CH2 Domains Contributes to Their

TH 18 20 5

& MADENIN'

EN PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

LLS	PA	TE	JT	DOCUMENTS

EXAM. Init.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
www.	A60	4,703,008	10/27/87	Lin	435	240.2	11/30/84
	A61	5,457,038	10/10/95	Trinchieri et al.	435	69.52	9/18/90
1	A62	5,441,868	8/15/95	Lin	435	69.4	10/23/87
	A63	5,547,933	8/20/96	Lin	514	8	6/7/95
	A64	5,618, 69 8	4/8/97	Lin	435	69.4	6/6/95
	A65	5,650,150	122/91	Gillies	424	134.1	7/27/94
	A66	5,688,679	11/18/97	Poweli	435	240.2	10/6/93
	A67	5,723,125	3/3/98	Chang et al.	424	134.1	9/25/96
V	A68	5,756,349	5/26/98	Lin	435	325	6/6/95
	A69	3,908,626	6/1/99	Chang et al.	424	134.1	12/19/97
Stal	A70	5,955,422	9/21/99	Lin	514	8	8/2/93
ال	A71	6,100,387	8/8/00	Herrmann et al.	536	23.4	2/28/97
	A72	6,231,536	5/15/01	Lentz	604	5.04	5/21/99
	A73	6,284,536	9/4/01	Morrison et al.	435	328	4/20/99
	· A74	6,335,176 B1	1/1/02	inglese et al.	435	7.72	10/16/98
	A75	6,340,742	1/22/02	Burg et al.	530	351	6/28/00
	A76	6,444,792	9/3/02	Gray et al.	530	387.3	1/8/99
	A77	6,475,717 B1	11/5/02	Enssle et al.	435	5	7/25/97
-	A78	6,485,726 B1	11/26/02	Blumberg et al.	424	178.1	7/24/98
	A79	6,506,405	1/14/03	Desai et al.	424	450	. 8/1/00
	A80	6,583,272	6/24/03	Bailon	530	397	6/27/00
1	A81	6,586,398	7/1/03	Kinstler et al.	514	12	4/7/00
÷-	A82	6,617,135	9/9/03	Gilles et al.	435	69.7	8/9/00
	A83	2001/0053539 A1	12/20/01	Lauffer et al.	435	69.1	4/6/99

ofrecord

THE REAL PROPERTY OF THE PARTY OF THE PARTY

FORM PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

U.S. PATENT DOCUMENTS

EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
Du	A84	2002/0081664 A1	6/27/02	Local.	435	69.5	10/11/01
	A85	2002/0142374 A1	10/3/02	Gallo et al.	. 435	69.1	8/17/99
	A86	2002/0147311 A1	10/10/02	Gillies et al.	530	387.1	2/9/01
	A87.	2002/0192222 A1	12/19/02	. Blumberg et al.	424	178.1	8/8/02
	A88	2002/0193570 A1	12/19/02	Gillies et al.	530	351	12/4/01
1	A89	2003/0003529 A1	1/2/03	Bayer	435	68.1	7/19/02
	A90	2003/0044423 A1	3/6/03	Gillies et al.	424	192.1	3/7/02
	A91	2003/0049227 A1	3/13/03	Gillies et al.	424	85.1	6/29/01
	A92	2003/0105294 A1	6/5/03	Gillies et al.	. 530	351 .	2/24/99
ŀ	A93	2003/0012789 A1	1/6/03	Blumberg et al.	424	145.1	8/8/02
	A94	2003/0157054 A1	8/21/03	Gillies et al.	424	85.1	5/3/02
1	A95	2003/0166163 A1	9/4/03	Gillies	435	69.52	12/4/02
A	A96	2003/0166877 A1	9/4/03	Gillies et al.	530	395	3/29/02

EXAMINER Said a Saider DATE CONSIDERED

7/7/05



ORM PTO - 1449

B106

WO 03/077834 A2

SECOND SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT**

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

12/04/02

7/03/02

N

FOREIGN PATENT DOCUMENTS **EXAM** DOCUMENT COUNTRY DATE CLASS FILING ABSTRACT ENGLISH NUMBER CODE CLASS DATE ONLY LANG i INIT. (Y/N) B92 1 088 888 A1 4/04/01 EP 5/13/99 N ¥ WO 96/18412 6/20/96 PCT 12/12/94 Y 894 WO 97/00319 1/03/97 PCT 6/11/96 WO 99/43713 9/03/99 2/24/99 B96 WO 00/24893 5/04/00 PCT 10/18/99 Ń WO 01/36489 A2 5/25/01 **PCT** 11/03/00 **B98** WO 0L/58957 A2 8/16/01 **PCT** 2/09/01 Y **B99** WO 02/02143 A2 1/10/02 06/29/01 Y WO 02/066514 A2 8/29/02 PCT 2/18/02 B101 N WO 02/072605 A2 9/19/02 PCT 3/07/02 Y B102 WO 02/079232 A2 10/10/02 **PCT** 3/30/02 B103 WO 02/079415 A2 10/10/02 PCT 3/29/02 Y B104 WO 02/090566 A2 11/14/02 5/03/02 Y B105 WO 03/048334 A2 6/12/03 PCT

of record -

EXAMINER David a Salenders DATE CONSIDERED

9/25/03

PCT

Y

Y



FORM PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

	,	(ab') with Specificity for Carcinomas and Human IL-2," The L of Immunology, 146:7:2446-2452.					
1	C184	Elliott et al., (1997), "Mapping of the Active Site of Recombinant Human Erythropoietin," Blood, 89(2):493-502. Fell et al., (1991), "Genetic Construction and Characterization of Fusion Protein Consisting of a Chimeric					
	C183	Egrie et al., (2001), "Development and characterization of novel crythropoiesis stimulating protein (NESP)," Nephrol, Dial, Transplant, 16:3-13.					
	C182	Duncan et al., (1988), "The binding site for Clq on IgG," Nature, 332:738-740.					
	C181	Dolman et al., (1998), "Suppression of human prostate earcinoma metastases in severe combined immunodeficient mice by interleukin 2 immunocytokine therapy," Clin Cancer Res., 4(10):2551-7.					
	C180	Davis et al., (2003), "Immunocytokines: amplification of anti-cancer immunity," Cancer Immunol Immunother 52:297-308					
ŀ	C179	Darling et al., (2002), "Glycosylation of Erythropoietin Affects Receptor Binding Kinetics: Role of Electrostatic Interactions," <u>Biochemistry</u> , 41:14524-14531.					
	C178	Cruse et al., (1995), Illustrated Dictionary of Immunology, CRC Press, NY, p.156-7.					
	Ç177	Chuang et al., (1994), "Alteration of Lymphocyte Microtubule Assembly, Cytotoxicity, and Activation by the Anticancer Drug Taxol," Cancer Research, 54:1286-1291.					
	C176	Briggs et al., (1974), "Hepatic Clearance of Intact and desialylated Erythropoietin," American Journal of Physiology, 227:1385-1388.					
	C175	Bitonti et al., (2002), "Transépithelial Absorption of an Erythropoietin-Fc Fusion Protein After Delivery to the Central Airways," Respiratory Drug Delivery, 8:309-312.					
	C174	Becker et al., (1996), "T Cell-mediated eradication of murine metastatic melanoma induced by targeted interleukin 2 therapy," <u>J Exp Med.</u> , 183(50):2361-6.					
	CIB	Becker et al., (1996), "Long-lived and transferable aumor immunity in mice after targeted interleukin-2 therapy," <u>J Clin Invest.</u> , 98(12):2801-4.					
	C172	Batova et al., (1999), "The Ch 14.18-GM-CSF Fusion Protein Is Effective at Mediating Antibody-dependent Cellular Cytotoxicity and Complement-dependent Cytotoxicity in Vitro," Clinical Cancer Research, 3:4259-4263.					
lyk	C171	Angal et al., (1993), "A Single Amino Acid Substitution Abolishes the Heterogeneity of Chimeric Mouse/Human (1gG4) Antibody," Molecular Immunology, 30:105-108.					
EXAM. INIT.	ОТН	ER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)					
		FILING DATE: February 9, 2001 GROUP: 1644					

DUPLICATE OF CH3

EXAMINER David a Saunder DATE CONSIDERED 7/6/05



SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

EXAM. INIT.	ОТН	ER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
2	C186	Fibi et al., (1995), "N- and O-Glycosylation Muteins of Recombinant Human Erythropoietin Secreted From BHK-21 Cells," Blood, 85:1229-1236.
1/	C187	Frost et al., (1997), "A Phase I/IB Trial of Murine Monoclonal Anti-GD2 Antibody 14.G2a plus Interlukin-2 Children with Refractory Neuroblastoma", Cancer, 80:317-33.
	C188	Gan et al., (1999), "Specific enzyme-linked immunosorbent assays for quantitation of antibody-cytokine fusion proteins," Clin Diagn Lab Immunol., 6(2):236-42.
	C189	Gillies et al., (1991), "Expression of genetically engineered immunoconjugates of lymphotoxin and a chimeric anti-ganglioside GD2 antibody," <a 2="" 59:2159-2166.<="" antibody-interleukin="" by="" cancer="" efficacy="" fc="" fusion="" href="https://doi.org/10/13/13/13/13/13/13/13/13/13/13/13/13/13/</td></tr><tr><td></td><td>C190</td><td>Gillies et al., (1999), " improving="" interaction="" of="" proteins="" receptors,"="" reducing="" research,="" td="" the="" their="" with="">
	C191	Gillies et al., (2002), "Bi-functional cytokine fusion proteins for gene therapy and antibody-targeted treatment of cancer," Cancer Immunol Immunother., 51(8):449-60.
	C192	Gillies et al., (2002), "Improved circulating half-life and efficacy of an antibody-interleukin 2 immunocytokine based on reduced intracellular proteolysis," Clin, Cancer Res., 8(1):210-6.
	C193	Greene et al., (1975), "Neuronal properties of hybrid neuroblastoma X sympathetic ganglion cells", <u>Proc. Natl. Acad. Sci. USA</u> , 72:4923-4927.
	C194	Hammerling et al., (1996), "In vitro bioassay for human erythropoietin based on proliferative stimulation of an erythrold cell line and analysis of carbohydrate-dependent microheterogeneity," <u>Journal of Pharmaceutical and Biomedical Analysis</u> , 14:1455-1469.
	C195	Hank et al., (2003), "Determination of peak serum levels and immune response to the humanized anti- ganglioside antibody-interleukin-2 immunocytokine," <u>Methods Mot Med.</u> , 85:123-31.
	C196	Haraguchi, (1994), "Isolation of GD3 synthase gene by expression cloning of GM3 0-2,8-sialyltransferase cDNA using anti-GD2 monoclonal antibody, Proc. Natl. Acad. Sci. USA., 91(22):10455-9.
1.1	C197	Harris, (1995), "Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cellulure," J. Chromatogr. A., 705:129-134.
	C198	Hezarch et al, (2001), "Effector function activities of a panel of mutants of a broadly neutralizing antibody against human immunodeficiency virus type 1," <u>I. Virol.</u> , 75(24):12161-8.
	C199	Idusogie et al., (2000), "Mapping of the Clq binding site on rituxan, a chimeric antibody with a human IgG1 Fc," <u>J. Immunol.</u> , 164(8):4178-84.
V	C300	Imboden et al., (2001), "The level of MHC class I expression on murine adenocarcinoma can change the antinumor effector mechanism of immunocytokinetherapy," Cancer Res., 61(4):1500-7.

EXAMINER	Divid a Sunder DATE CONSIDERED	7/6/	75
		10/	

TE 28 mg

BORM PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

EXAM. INIT.	ОТН	ER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)				
ous	C30[Kate et al., (1997), "Mechanism for the Nonlinear Pharmacokinetics of Erythropoietin in Rats," The Journal of Pharmacology and Experimental Theraccutics, 283:520-527.				
	C203	Kato et al., (1998), "Pharmacokinetics of Erythopoietin in Genetically Anemic Mice," <u>Drug Metabolism and Disposition</u> , 26:126-131.				
	C204	Kendra et al., (1999), "Pharmacokinetics and Stability of the ch 14.18-Interleukin-2 Fusion Protein in Mice," Cancer Immunol, Immunotherapy, 48:219-229.				
Ť	C203	King et al., (2003), "A Phase I/IB clinical trial of the immunocytokine hul4.18-IL2 (EMD 273063) in patients with melanoma," Author's manuscript dated June 6, 2003.				
	C206	Kitamura et al., (1989), "Establishment and Characterization of a Unique Human Cell Line that Proliferates Dependently on GM-CSF, IL-3, or Erythropoietin," <u>Journal of Cellular Physiology</u> , 140:323-334.				
	C207	Kushner et al., (2001), "Phase II Trial of the Anti-GD2 Monoclonal Antibody 3F8 and Granulocyte-Macrophage Colony-Stimulating Factor for Neuroblastoma", <u>J. Clin. Oncol.</u> , 19:4189-94.				
	C208	Locatelli et al., (2001), "Darbepoetin alfa Amgen," Current Opinion in Investigational Drugs, 2:1097-1104.				
·	C209	Lode et al., (1997), "Targeted interleukin-2 therapy for spontaneous neuroblastoma metastases to bone marrow," J Natl Cancer Inst., 89(21):1586-94.				
	C310	Lode et al., (2000), "What to do with targeted IL-2," Drugs Today, 36(5):321-36.				
	C211	Lode et al., (2000), "Melanoma immunotherapy by targeted Il-2 depends on CD4(+) T-cell help mediated by CD40/CD40L interaction," J. Clin. Invest., 105(11):1623-30.				
	C212	Macdougall. (2002). "Optimizing the Use of Erythropoietic Agents—Pharmacokinetic and Pharmacodynamic Considerations," Nephrol. Dial. Transplant., 17:66-70.				
	C3 j3	Metelitsa et al., (2002), "Antidisialoganglioside/granulocyte macrophage-colony-stimulating factor fusion protein facilitates neutrophil antibody-dependent cellular cytotoxicity and depends on FegammaRII (CD32) and Mac-I (CD11b/CD18) for enhanced effector cell adhesion and azurophil granule exocytosis," <u>Blood</u> , 99(11):4166-73.				
	C214	Mueller et al., (1997), "Humanized porcine VCAM-specific monoclonal antibodies with chimeric IgG2/G4 constant regions block human leukocyte binding to porcine endothelial cells," <u>Molecular Immunology</u> , 34(6):441-452.				
	C215	Mullins et al., (1997), "Taxol-mediated changes in fibrosarcoma-induced immune ell function: modulation of antitumor activities," Cancer Immunol Immunother, 45:20-28.				
V	C216	Naramura et al., "Mechanisms of cellular cytotoxicity mediated by a recombinant antibody-IL2 fusion protein against human melanoma cells," Immunol Lett. , 38(1):91-9.				

EXAMINER David U Lacencles DATE CONSIDERED 7/16/105

O.10 E

FORM PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
del	ĆΩ17	Neal et al., (2003), "NXS2 murine neuroblastomas express increased levels of MHC class I antigens upon recurrence following NK-dependent immunotherapy," Cancer Immunot Immunother, Pub. Med ID: 14504825.		
	Ć218	Ngo et al., (1994), "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox" pp. 433-440 and 492-495.		
	C219	Niethammer et al., (2001) "An oral DNA vaccine against human carcinoembryonic antigen (CEA) prevent growth and dissemination of Lewis Lung carcinoma in CEA transgenic mice," <u>Vaccine</u> , 20(3-4):421-9.		
	Ć220	Niethammer et al., (2001) "Targeted Interleukin 2 therapy enhances protective immunity induced by an autologous murine melanoma," Cancer Res., 61(16):6178-84.		
·	C221	Nimtz et al., (1993) Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56.		
	CIII	Pancook et al., (1996), "Eradication of established hepatic human neuroblastoma metastases in mice with severe combined immunodeficiency by antibody-targeted interleukin-2," Cancer Immunol Immunother., 42(2):88-92.		
	C223	Park et al., (2000), "Efficiency of promoter and cell line in high-level expression of erythropoietin," <u>Biotechnol, Appl. Biochem.</u> , 32:167-172.		
	C224	Reisfeld et al., (1996), "Antibody-interleukin 2 fusion proteins: a new approach to cancer therapy," <u>I Clin Lab Anal</u> , 10(3):160-6.		
	czis	Reisfeld et al., (1996), "Involvement of B lymphocytes in the growth inhibition of human pulmonary melanoma metastases in athymic nu/nu mice by an antibody-lymphotoxin fusion protein," Cancer Res., 56(8):1707-12.		
	C226	Ruehlmann et al., (2001), "MIG (CIXCL9) chemokine gene therapy combines with antibody-cytokine fusion protein to suppress growth and dissemination of murine colon carcinoma," Cancer Res., 61(23):8498-503.		
	C227	Sabzevari et al., (1994), "A recombinant antibody-interleukin 2 fusion protein suppresses growth of hepatic human severe combined immunodeficiency mice," <u>Proc Natl Acad Sci USA</u> , 91(20):9626-30.		
	C228	Seidenfeld et al., (2001), "Epoietin Treatment of Anemia Associated with Cancer Therapy: A Systematic Review and Meta-analysis of controlled Clinical Trials," <u>Journal of National Cancer Institute</u> , 93:1204-1214.		
	C229 Shinkawa et al., (2003), "The Absence of Fucose but Not the Presence of Galactose or Bisecting N-Acetylghucosamine of Human IgG1 Comples-type Oligosaccharides Shows the Critical Role of Enha Antibody-dependent Cellular Cytoxicity", J. Biol. Chem., 278:3466-3473.			
J	C230	Spickermann et al., (2002), "Receptor-mediated Immunoglobulin G Transport Across Mucosal Barriers in Adult Life: Functional Expression of FcRn in the Mammalian Lung," J. Exp. Med., 196:303-310.		

EXAMINER DATE CONSIDERED 7/6/05



ORM PTO - 1449

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

Tital O ATE. Testably 9, 2001 OROUT: 1000							
EXAM. INIT.		OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)					
		C231 Strom et al., (1996), "Therapeutic Approach to Organ Transplantation", Blackwell Science, C 451-456.					
		C232	Syed et al., (1998), "Efficiency of signaling through cytokine receptors depends critically on receptor orientation," <u>Nature</u> , 395:511-516.				
		C233	Thommesen et al., (2000), "Lysine 322 in the human IgG3 CH2 domain is crucial for antibody dependent complement activation", Mol. Immunol., 37(16):995-1004.				
•	T	C234	Wells, (1990), "Additivity of Mutational Effect in Proteins," <u>Biochemistry</u> , 29(37):8509-8517.				
		C235	Xiang et al., (1998), "Induction of persistent tumor-protective immunity in mice cured of established colon carcinoma metastases," <u>Cancer Res.</u> , 58(17)3918-25.				
		C236	Xiang et al., (1999) "T Cell memory against colon carcinoma is long-lived in the absence of antigen," I Immunol 163(7):3676-83.				
		C237	Xiang et al., (2001), "A dual function DNA vaccine encoding carcinoembryonic antigen and CD40 ligand trimer induces T cell-mediated protective immunity against colon cancer in carcinoembryonic antigentransgenic milee," Jimmunol.gov/length/schools.				
		C238.	Xiang et al., (2001), "Protective immunity against human carcinoembryonic antigen (CEA) induced by an ora DNA vaccine in CEA-transgenic mice," Clin Cancer Res., 7(3 Suppl):856s-864s.				
		C239	Yu et al., (1998), "Phase I Trial of a Human-Mouse Chimeric Anti-Disialoganglioside Monoclonal Antibody ch14.8 in Patients With Refractory Neuroblastoma and Osteosarcoma", J. Clin. Oncol., 16:2169-80.				
J	/	C240.	Zagozdzon et al., (1999), "Potentiation of antinumor effect of IL-12 in combination with paclitaxel in murine melanoma model in vivo," International Journal of Molecular Medicine, 4:645-648.				

3025201_1

IDS 1-1080 8/28/04

B107

WO 93/20185

EXAMINER David U. Sie

10/14/93

PCT

DATE CONSIDERED

FUKM PTU - 1449 ATTURNEY DUCKET NO.: LEX-011 THIRD SUPPLEMENTAL INFORMATION APPLICANT(S): Gillies et al. **DISCLOSURE STATEMENT** SERIAL NO.: 09/780,668 **EXAMINER: David A. Saunders** FILING DATE: February 9, 2001 GROUP: 1644 **U.S. PATENT DOCUMENTS** EXAM. DOCUMENT DATE NAME CLASS SUB FILING DATE IF INIT. NUMBER **CLASS** APPROPRIATE A97 2/11/97 5,601,819 Wong et al. A98 5,891,680 4/6/99 Lieschke et al. A99 5,994,104 11/30/99 Anderson et al. A100 6,429,199 8/6/02 Krieg et al. A101 6,500,641 12/31/02 Chen et al. A102 6,551,592 4/22/03 Lindhofer et al. A103 6,646,113 11/11/03 Dreyfuss et al. A104 2002/0037558 3/28/02 Lo et al. 10/10/02 2002/0146388 Gillies A106 2003/0139365 7/24/03 Lo et al. A107 2003/0139575 7/24/03 Gillies Zardi et al. 2004/0013640 1/22/04 2004/0033210 2/19/04 Gillies A110 2004/0043457 3/4/04 Schumacher et al. A111 2004/0053366 3/18/04 Lo et al. A112 2004/0072299 4/15/04 Gillies et al. 2004/0082039 A113 4/29/04 Gillies et al. FOREIGN PATENT DOCUMENTS EXAM. DOCUMENT COUNT CLASS SUB **FILING** ABSTRACT ENGLISH INIT. NUMBER RY **CLASS** DATE ONLY LANG CODE (Y/N)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)				
Dole	C241	Chapman et al., (1994), "Mapping Effector Functions of a Monoclonal Antibody to GD3 by Characterization o a Mouse-Human Chimeric Antibody," Cancer Immuno. Immunother., 39:198-204.			
1	C242	Conner et al., (2004), "Ex vivo Evaluation of Anti-EpCAM Immunocytokine huKS-IL2 in Ovarian Cancer," <u>J. Immunotherapy</u> , 27:211-219.			
	C243	de la Salle et al., (1996), "FcγR on Human Dendritic Cells," in <u>Human IgG Receptors</u> , pp. 39-55, van de Winkel et al. (eds.), R.G. Landes Co.			
	C244	Dorai et al., (1991), "Aglycosylated Chimeric Mouse/Human IgG1 Antibody Retains Some Effector Function," Hybridoma, 10(2):211-217.			
	C245	Dorai ét al., (1992), "Role of Inter-Heavy and Light Chain Disulfide Bonds in the Effector Functions of Human IgG1," Molecular Immunology, 29(12):1487-1491.			
	C246	Elliott et al., (1996), "Fine-Structure Epitope Mapping of Antierythropoietin Monoclonal Antibodies Reveals a Model of Recombinant Human Erythropoietin Structure," <u>Blood</u> , 87(7):2702-2713.			
	C247	Gillies et al., (1991), "Targeting Human Cytotoxic T Lymphocytes to Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells: Tumor-Infiltrating Lymphocyte/Hormone Receptor/Recombinant Antibody," J. Immunology, 146(3):1067-1071.			
	C248	Handgretinger et al., (1995), "A Phase I Study of Human/Mouse Chimeric Anti-ganglioside GD2 Antibody ch14.18 in Patients with Neuroblastoma," <u>European J. Cancer</u> , 31A(2):261-267.			
	C249	Hank et al., (1996), "Activation of Human Effector Cells by a Tumor Reactive Recombinant Anti-ganglioside GD2 Interleukin-2 Fusion Protein (ch14.18-IL2)," Clin Cancer Research, 2(12):1951-1959.			
	C250	Hurn et al., (1980), "Production of Reagent Antibodies," Methods in Enzymology, 70: 104-142.			
	C251 Isenman et al., (1975), "The Structure and Function of Immunoglobulin Domains: II. The Importance of Interchain Disulfide Bonds and the Possible Role of Molecular Flexibility in the Interaction between Immunoglobulin G and Complement," J. Immunology, 114(6):1726-1729.				
	C252 Ko et al., (2004), "Safety, Pharmacokinetics, and Biological Pharmacodynamics of the Immunocytokine EMD 273066 (huKS-IL2)," J. Immunotherapy, 27:232-239.				
V	C253 Lo et al., (1992), "Expression and Secretion of an Assembled Tetrameric CH2-deleted Antibody in E Coli.," Hum. Antibod. Hybridomas, 3:123-128.				
EXAMIN	ER d	David a fermiles DATE CONSIDERED 7/5/05			

OTO E AND	STORIES.
WA FINS	FC
	TH DI

FΩ	PM	PTO	_ 1	440	1
ru	IVITE	riv	- 1	4443	ř

THIRD SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011


APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

EXAMINER: David A. Saunders

FILING DATE: February 9, 2001 GROUP: 1644

		Tiblio Ditib. Teolady 9, 2001 GROOT. 1044			
EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)				
2000	C254	Maecker et al., (1997), "DNA Vaccination with Cytokine Fusion Constructs Biases the Immune Reponse to Ovalbumin," Vaccine, 15(15):1687-1696.			
	C255	Mueller et al., (1990), "Enhancement of Antibody-Dependent Cytotoxicity With A Chimeric Anti-GD2 Antibody," J. Immunology, 144(4):1382-1386			
	C256	Mueller et al., (1990), "Serum Half-Life and Tumor Localization of a Chimeric Antibody Deleted of the CH2 Domain and Directed Against the Disialoganglioside GD2," Proc. Natl. Acad. Sci. USA., 87:5702-5705.			
	C257	Naramura et al., (1993), "Therapeutic Potential of Chimeric and Murine Anti-(Epidermal Growth Factor Receptor) Antibodies in a Metastasis Model for Human Melanoma," Cancer Immuno. Immunother., 37:343-349.			
-	C258	Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," <u>Blood</u> , 101(2):649-654.			
	C259	Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer Immunotherapy," Prog. Brain Res., 101:201-212			
	C260	Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24.			
	C261	C261 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by Tumor Necrosis Factor a," J. Exp. Med., 179:1109-1118.			
	C262	Schlom (1991), "Monoclonal Antibodies: They're More and Less Than You Think," in Molecular Foundations of Oncology, pp. 95-133.			
-	C263	Weber et al., (2001), "Phase I Trial of huKS-IL2 Immunocytokine in Patients with Prostate Carcinoma: Clinical, PK, and Biological PD Results (Abstract)," American Society of Clinical Oncology Program/Proceedings, 20(Part 1):259a.			
-	C264	Wen et al., (1994), "Erythropoietin Structure-Function Relationships: Identification of Functionally Important Domains," <u>J. Biological Chemistry</u> , 269(36):22839-22846.			
	C265 Gurewich et al., (1988), "Characterization of the Intrinsic Fibrinolytic Properties of Pro-urokinase through a Study of Plasmin-resistant Mutant Forms Produced by Site-specific Mutagenesis of Lysine 158," J. Clin. Invest 82:1956-1962.				
	C266 Miyake et al., (1988), "Synthesis of Recombinant Human Single-Chain Urokinase-Type Plasminogen Activator Variants Resistant to Plasmin and Thrombin," J. Bjochem., 104:643-647.				



3113305_1

Page 1 of 13 **FORM PTO - 1449** ATTORNEY DOCKET NO.: LEX-011 INPORMITION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 JAH 1 8 2003 FILING DATE: February 9, 2001 **GROUP: 1644** S TRANSPAR **U.S. PATENT DOCUMENTS** EXAM. **DOCUMENT** DATE NAME **CLASS** SUB **FILING DATE** INIT. NUMBER **CLASS APPROPRIATE** 4,522,811 6/11/85 Eppstein et al. A114 4,667,016 5/19/87 A115 Lai et al. 4,732,683 3/22/88 Georgiades et al. A116 A117 4,737,462 4/12/88 Mark et al. A118 4,975,369 12/4/90 Beavers et al. A119 5,082,658 1/21/92 Palladino A120 5,091,513 2/25/92 Huston et al. A121 5,399,346 3/21/95 Anderson et al. 5,428,130 6/27/95 Capon et al. A122 A123 5,480,981 1/2/96 Goodwin et al. 5,589,466 12/31/96 A124 Felgner et al. 5,614,184 A125 3/25/97 Sytkowski et al. 5,712,120 1/27/98 Rodriguez et al. A126 5,738,852 4/14/98 Robinson et al. A127 A128 5,795,779 8/18/98 McCormick et al. A129 5,827,703 10/27/98 Debs et al. A130 5,837,821 11/17/98 Wu et al. A131 5,888,773 3/30/99 Jost et al. 6,281,010 8/28/01 Gao et al. A132 A133 6,291,158 Winter et al. 9/18/01 6,627,615 9/30/03 Debs et al. A134 2004/0180035 A135 9/16/04 Gillies et al.

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 INFORMATION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 FILING DATE: February 9, 2001 **GROUP: 1644** FOREIGN PATENT DOCUMENTS SUB **EXAM** DOCUMENT **COUNTRY** FILING ENGLISH DATE CLASS **ABSTRACT** INIT. NUMBER CODE LANG **CLASS** DATE ONLY (Y/N) B108 0344 134 BI 01/19/94 EP 12/11/96 B109 0 428 267 BI EP B110 0 428 596 BI 4/17/96 EP BILL 0 433 827 B1 3/14/98 EP B112 0519596A1 12/23/92 EP B113 0668351BI 9/22/99 EP **B114** 0 699 755 B1 4/28/04 EP B115 2 188 638 A 10/7/87 GB B116 WO 92/10755 6/25/92 **PCT BI17** WO 94/25609 11/10/94 **PCT** B118 WO 96/40792 12/19/96 **PCT** 11/26/98 B119 WO 98/52976 **PCT** B120 WO 00/01822 1/13/00 PCT

FORM PTQ - 1449

INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF. NO.: 8264

		.045		FILING DATE: February 9, 2001 GROUP: 1644			
्ड्	OTHER ART, JOURNAL ARTICLES ETC.						
	EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT.						
C268 Aichele et al., (1994), "Peptide-Induced T-Cell Tolerance to Prevent Autoi Mouse Model," Proc. Natl. Acad. Sci. USA, 91:444-448.							
		C269	Altschul et al., (1990), "Basic Local Alignmo	ent Search Tool," <u>J. Mol. Biol.</u> , 215:403-10.			
	1	C270	Altschul et al., (1997), "Gapped BLAST and Programs," Nucleic Acids Res., 25(17):3389	PSI-BLAST: A New Generation of Protein Database Search -402.			
		C271	Anderson et al., (1980), "Characterization of U937," J. Immunol., 125:2735-41.	the Fc Receptor for IgG on a Human Macrophage Cell Line			
	· (, · ·	C272	Anderson et al., (1994), "Effects of Route an Clin. Pharmacokinet., 27(1):19-31.	d Formulation on Clinical Pharmacokinetics of Interleukin-2,"			
C273 Baici et al., (1980), "Kinetics of the Different Susceptibilities of the Four Human Immu Subclasses to Proteolysis by Human Lysosomal Elastase," Scand. J. Immunol. 12(1):41							
		C274	Barbulescu et al., (1998), "IL-12 and IL-18 I IFN-γ Promoter in Primary CD4+ T Lympho	Differentially Regulate the Transcriptional Activity of the Human ocytes," J. Immunol., 160:3642-7.			
		C275	Becker et al., (1996), "An Antibody-Interleul Induction of a Cellular Immune Response," I	kin 2 Fusion Protein Overcomes Tumor Heterogeneity by Proc. Natl. Acad. Sci. USA, 93:7826-7831.			
		C276	Bednarek et al., (1991), "Soluble HLA-A2.1 Specific Cytotoxic T Lymphocytes," J. Immu	Restricted Peptides that are Recognized by Influenza Virus anol. Methods, 139:41-47.			
		C277	Benacerraf et al., (1959), "The Clearance of a Reticuloendothelial System," J. Immunol., 82	Antigen Antibody Complexes from the Blood by the 2:131-7.			
	· .	C278	Bohm, (1994), "On the Use of LUDI to Search Three-Dimensional Structure," <u>J. Comput. A</u>	ch the Fine Chemicals Directory for Ligands of Proteins of Known ided Mol. Des., 8:623-32.			
	C279 Bohm, (1994), "The Development of a Simple Empirical Scoring Function to Estimate the Binding Constar for a Protein-Ligand Complex of Known Three-Dimensional Structure," J. Comput. Aided Mol. Des., 8:24. 56.						
	-	C280 Bohm, (1998), "Prediction of Binding Constants of Protein Ligands: A Fast Method for the Prioritization of Hits Obtained from De Novo Design or 3D Database Search Programs," J. Comput. Aided Mol. Des., 12(4):309-23.					
		C281	Boshart et al., (1985), "A Very Strong Enhance Cytomegalovirus," Cell, 41:521-530.	cer is Located Upstream of an Immediate Early Gene of Human			
#		C282	Boulianne et al., (1984), "Production of Fund	ctional Chimaeric Mouse/Human Antibody," Nature, 312:643-6.			

EXAMINER Dainly & accuses

DATE CONSIDERED

7/5/05

Page 4 of 13 FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 FILING DATE: February 9, 2001 GROUP: 1644 & TRADEUS OTHER ART, JOURNAL ARTICLES ETC. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) EXAM. INIT. Bourgois et al., (1974), "Determination of the Primary Structure of a Mouse IgG2a Immunoglobulin Amino Acid Sequence of the Fc Fragment: Implications for the Evolution of Immunoglobulin Structure and Function," Eur. J. Biochem., 43:423-35. Brambell et al., (1964), "A Theoretical Model of Gamma-Globulin Catabolism," Nature, 203:1352-54. C285 Brazolot Millan et al., (1998), "Cpg DNA Can Induce Strong TH1 Humoral and Cell-Mediated Immune Responses against Hepatitis B Surface Antigen in Young Mice," Proc. Natl. Acad. Sci. USA, 95:15553-8. C286 Brekke et al., (1994), "Human IgG Isotype-Specific Amino Acid Residues Affecting Complement-Mediated Cell Lysis and Phagocytosis," Eur. J. Immunol., 24:2542-2547. Brem et al., (1993), "The Combination of Antiangiogenic Agents to Inhibit Primary Tumor Growth and Metastasis," J. Pediatr. Surg., 28:1253-7. C288 Brocklebank et al., (2001), "Enumeration of CD34+ Cells in Cord Blood: A Variation on a Single-Platform Flow Cytometric Method Based on the ISHAGE Gating Strategy," Cytometry, 46(4):254-61. Brooks et al., (1983), "CHARMM: A Program for Macromolecular Energy Minimization and Dynamics-C289 Calculations," J. Comput. Chemistry, 4:187-217. Broudy et al., (1988), "Recombinant Human Erythropoietin: Purification and Analysis of Carbohydrate C290 Linkage," Arch. Biochem. Biophys., 265:329-36. C291 Bubenik et al., (1995), "Interleukin-2 Gene Therapy of Residual EL-4 Leukaemia Potentiates the Effect of Cyclophosphamide Pretreatment," J. Cancer Res. Clin. Oncol., 121:39-43. Burnol et al., (1982), "Unique Glycoprotein-Proteoglycan Complex Defined by Monoclonal Antibody on Human Melanoma Cells," Proc. Natl. Acad. Sci. USA, 79:1245-9. C293 Carnemolla et al., (1989), "A Tumor-Associated Fibronectin Isoform Generated by Alternative Splicing of Messenger RNA Precursors," J. Cell. Biol., 108:1139-1148. C294 Carnemolla et al., (1992), "The Inclusion of the Type III Repeat ED-B in the Fibronectin Molecule Generates Conformational Modifications that Unmask a Cryptic Sequence," J. Biol. Chem., 267(34):24689-24692. C295 Cazzola et al., (1998), "Red Blood Cell Precursor Mass as an Independent Determinant of Serum Erythropoietin Level," Blood, 91:2139-45. C296 Chan et al., (1992), "Mechanisms of IFN-Gamma Induction by Natural Killer Cell Stimulatory Factor (NKSF/IL-12). Role of Transcription and mRNA Stability in the Synergistic Interaction Between NKSF and



Chappel et al., (1991), "Identification of the Fc Gamma Receptor Class I Binding Site In Human IgG Through Use of Recombinant IgGI/IgG2 Hybrid and Point-Mutated Antibodies," Proc. Natl. Acad. Sci. USA,

IL-2," J. Immunol., 148:92-98.


88(20):9036-40.

C297

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 BORMATION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 JAN 18 2003 FILING DATE: February 9, 2001 **GROUP: 1644** @ MADE! OTHER ART, JOURNAL ARTICLES ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Cheetham, (1998), "NMR Structure of Human Erythropoietin and a Comparison with its Receptor Bound Conformation," Nat. Struct. Biol., 5:861-6. C299 Ciardiello et al., (1996), "Antitumor Activity of Combined Blockade of Epidermal Growth Factor Receptor and Protein Kinase A," J. Natl. Cancer Inst., 88:1770-6. C300 Cirulli et al., (1998), "KSA Antigen Ep-CAM Mediates Cell-Cell Adhesion of Pancreatic Epithelial Cells: Morphoregulatory Roles in Pancreatic Islet Development," J. Cell Biol., 140:1519-34. Cohen et al., (1998), "An Artificial Cell-Cycle Inhibitor Isolated from a Combinatorial Library," Proc. Natl. Acad. Sci. USA, 95:14272-7. Congote et al., (1984), Abstract 364 in "Proceedings 7th Intl. Congress of Endocrinology," Quebec City, C302 Quebec. C303 Congote, (1983), "Isolation of Two Biologically Active Peptides, Erythrotropin I and Erythrotropin II from Fetal Calf Intestine," Biochem. Biophys. Res. Commun., 115(2):477-83. Congote, (1984), "Extraction from Fetal Bovine Serum of Erythrotropin, an Erythroid Cell-Stimulating Factor," Anal. Biochem., 140:428-33. C305 Cosenza et al., (1997), "Disulfide Bond Assignment in Human Interleukin-7 by Matrix-Assisted Laser Desorption/Ionization Mass Spectroscopy and Site-Directed Cysteine to Serine Mutational Analysis," J. Biol. Chem., 272:32995-3000. Cunningham et al., (1989), "High-Resolution Epitope Mapping of Hgh-Receptor Interactions by Alanine-Scanning Mutagenesis," Science, 244:1081-85. C307 Curiel et al., (1991), "Adenovirus Enhancement of Transferrin-Polylysine-Mediated Gene Delivery," Proc. Natl. Acad. Sci. USA, 88:8850-4. C308 Dauber-Osguthorpe et al., (1988), "Structure and Energetics of Ligand Binding to Proteins: Escherichia Coli Dihydrofolate Reductase-Trimethoprim, A Drug-Receptor System," Proteins, 4(1):31-47. Daugherty et al., (1991), "Polymerase Chain Reaction Facilities the Cloning, CDR-Grafting, and Rapid Expression of a Murine Monoclonal Antibody Directed Against the CD18 Component of Leukocyte Integrins," Nucleic Acid Res., 19:2471-2476. De Bruijn et al., (1995), "Phagocyte-Induced Antigen-Specific Activation of Unprimed CD8+ T Cells in Vitro," Eur. J. Immunol., 25:1274-85. C311 Delorme et al., (1992), "Role of Glycosylation on the Secretion and Biological Activity of Erythropoietin," Biochemistry, 31:9871-6. C312 Desai et al., (1992), "IL-12 Receptor. II. Distribution and Regulation of Receptor Expression," J. Immunol.,


148:3125-32.

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 INFORMATION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 JAN 1 9 2005 **GROUP: 1644** FILING DATE: February 9, 2001 OTHER ART, JOURNAL ARTICLES ETC. B TRADES EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Donnelly et al., (1993), "Targeted Delivery of Peptide Epitopes to Class I Major Histocompatibility Molecules C313 by a Modified Pseudomonas Exotoxin," Proc. Natl. Acad. Sci. USA, 90:3530-4. Donnelly et al., (1997), "DNA Vaccines," Annu. Rev. Immunol., 15:617-48. Dube et al., (1988), "Glycosylation at Specific Sites of Erythropoietin is Essential for Blosynthesis, Secretion, and Biological Function," J. Biol. Chem., 263:17516-21. C316 Ellison et al., (1982), "The Nucleotide Sequence of a Human Immunoglobulin C Gamma I Gene," Nucleic Acids Res., 10:4071-9. Faas et al., (1993), "Phenotypically Diverse Mouse Thymic Stromal Cell Lines which Induce Proliferation and Differentiation Of Hematopoietic Cells," Eur. J. Immunol., 23:1201-14. Farner et al., (1995), "Distinction Between Gamma C Detection and Function in YT Lymphoid Cells and in the Granulocyte-Macrophage Colony-Stimulating Factor-Responsive Human Myeloid Cell Line, Tf-1," Blood, Fawell et al., (1994), "Tat-Mediated Delivery of Heterologous Proteins into Cells," Proc. Natl. Acad. Sci. USA, 91:664-8. Fu et al., (1993), "The Sheep Erythropoietin Gene: Molecular Cloning and Effect of Hemorrhage on Plasma Erythropoietin and Renal/Liver Messenger RNA in Adult Sheep," Mol. Cell. Endocrinol., 93:107-16. Gainsford et al., (1996), "Leptin Can Induce Proliferation, Differentiation, and Functional Activation of Hemopoietic Cells," Proc. Natl. Acad. Sci. USA, 93:14564-14568. Gammon et al., (1992), "Endogenous Loading of HLA-A2 Molecules with an Analog of the Influenza Virus Matrix Protein-Derived Peptide and Its Inhibition By An Exogenous Peptide Antagonist," J. Immunol., 148:7-C323 Ghetie et al., (1990), "Disseminated or Localized Growth of a Human B-Cell Tumor (Daudi) in SCID Mice," Intl. J. Cancer, 45:481. Ghetie et al., (1997), "FcRn: The MHC Class I-Related Receptor that is More Than an IgG Transporter," Immunology Today, 18(12):592-598. C325 Gillies et al., (1991), "Expression of Genetically Engineered Immunoconjugates of Lymphotoxin and a Chimeric Anti-Ganglioside GD2 Antibody," Hybridomas, 10(3):347-56. Goldwasser et al., (1971), "Purification of Erythropoietin," Proc. Natl. Acad. Sci. USA, 68:697-8. Goldwasser et al., (1975), "Erythropoeitin: Assay and Study of its Mode of Action," Methods Enzymol., 37(Ptb):109-21. Halin et al., (2002), "Enhancement of the Antitumor Activity of Interleukin-12 by Targeted Delivery to



Neovasculature," Nature Biotechnology, 20:264-269.

			1 age 7 01 13		
FORM PTO – 1449			ATTORNEY DOCKET NO.: LEX-011		
INFORMATION DISCLOSURE STATEMENT			APPLICANT(S): Gillies et al.		
/	407	ms (SERIAL NO.: 09/780,668 CONF. NO.: 8264		
AT JAK	197		FILING DATE: February 9, 2001 GROUP: 1644		
OTHER ART, JOURNAL ARTICLES ETC.					
EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT.					
Dul	C329	Handgretinger et al., (2001), "Immunologica Children," Ann. NY Acad. Sci., 938:340-57.	al Aspects of Haploidentical Stem Cell Transplantation in		
	C330	* * * **	umor Effects of Administration of Recombinant IL-18 or by Fas-Fas Ligand- and Perforin-Induced Tumor Apoptosis,		
	C331	Henikoff et al., (1992), "Amino Acid Substi 89:10915-10919.	tution Matrices from Protein Blocks," Proc. Natl. Acad. Sci. USA,		
	C332	Hilgers et al., (1999), "Sulfolipo-Cyclodextrin in Squalane-In-Water as a Novel and Safe Vaccine Adjuvant," <u>Vaccine</u> , 17:219-28.			
	C333	Holden et al., (2001), "Augmentation of Anti-Tumor Activity of KS-IL2 Immunocytokine with Chemotherapeutic Agents," Proceedings of the American Association for Cancer Research, 42:683, Abstract No. 3675 (XP-002195344).			
	C334	Hori et al., (1987), "Establishment of an Interleukin 2-Dependent Human T Cell Line from a Patient with T Cell Chronic Lymphocytic Leukemia Who is Not Infected with Human T Cell Leukemia/Lymphoma Virus," Blood, 70:1069-72.			
1.	Ć335	Hulett et al., (1994), "Molecular Basis of Fc	Receptor-Function," Adv. Immunol., 57:1127.		
	C336		of Antibody Binding Sites: Recovery of Specific Activity in an oduced In Escherichia Coli," Proc. Natl. Acad. Sci. USA, 85:5879.		
	C337		onal Antibodies. II. The Contribution of Fcy Receptor Binding and In Vivo Effector Funcion," J. Immunol., 161:3862-3869.		
	C338	Jacobs et al., (1985), "Isolation and Characte Erythropoietin," <u>Nature</u> , 313:806-10.	erization of Genomic And CDNA Clones of Human		
	C339	Jefferis <i>et al.</i> , (1990), "Molcular Definition of Immunol., 27(12):1237-1240.	of Interaction Sites on Human IgG for Fc Receptors huFcγR," Mol.		
	C340	Karlin et al., (1990), "Methods for Assessing the Statistical Significance of Molecular Sequence Features by Using General Scoring Schemes," Proc. Natl. Acad. Sci. USA, 87:2264-8.			
	C341	Karlin et al., (1993), "Applications and Stati Sequences," Proc. Natl. Acad. Sci. USA, 90	stics for Multiple High-Scoring Segments in Molecular :5873-7.		
	C342	Karpusas et al., (1997), "The Crystal Structu Sci. USA, 94:11813-11818.	re of Human Interferon β at 2.2-A Resolution," Proc. Natl. Acad.		
V	C343	Kelner et al., (1994), "Lymphotactin: A Cyte 266:1395-9.	okine that Represents a New Class of Chemokine," Science,		



FORM PT	0 - 14	449	ATTORNEY DOCKET NO.: LEX-011			
MEGRAPA	Fig	DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.			
JAN 1 8 2003)			SERIAL NO.: 09/780,668	CONF. NO.: 8264		
3			FILING DATE: February 9, 2001	GROUP: 1644		
PADE	MARIT	OTHER ART, JOUR	NAL ARTICLES ETC.			
EXAM. (отні	ER DOCUMENTS: (Including Author, Tit	e, Date, Relevant Pages, Place of Pub	lication)		
gne "	C344	Kirkman et al., (1989), "Prolongation of Card Diphtheria Toxin-Related Interleukin-2 Fusion	diac Allograft Survival in Murine Recip on Protein," <u>Transplantation</u> , 47(2):327-	ients Treated with a 330.		
L	C345	Klinman et al., (1997), "Contribution of CPC 158:3635-9.	Motifs to the Immunogenicity of DNA	Vaccines," J. Immunol.,		
	C346	Kuntz et al., (1982), "A Geometric Approach 88.	to Macromolecule-Ligand Interactions	," <u>J. Mol. Biol.</u> , 161:269-		
	C347	Kurtz, (1982), "A New Candidate for the Reg Lett., 149(1):105-8.	gulation of Erythropoiesis. Insulin-Like	Growth Factor I," <u>FEBS</u>		
	C348	Lai et al., (1986), "Structural Characterizatio	n of Human Erythropoietin," <u>J. Biol. C</u> l	<u>em.,</u> 261:3116-21.		
(C349	Lai et al., (1998), "DNA Vaccines," Crit. Re	v <u>. Immunol.</u> , 18:449-84.			
. (C350	Lanza et al., (1993), "Active Immunity against the CD4 Receptor by Using an Antibody Antigenized with Residues 41-55 of the First Extracellular Domain," Proc. Natl. Acad. Sci. USA, 90:11683-7.				
L (2351	Lawn et al., (1981), "DNA Sequence of a Major Human Leukocyte Interferon Gene," Proc. Natl. Acad. Sci. USA, 78:5435-9.				
)	2352	Lin et al., (1985), "Cloning and Expression of the Human Erythropoietin Gene," Proc. Natl. Acad. Sci. USA, 82:7580-4.				
	2353	Lin et al., (1986), "Monkey Erythropoietin Gene: Cloning, Expression and Comparison with the Human Erythropoietin Gene," Gene, 44:201-9.				
	C354	Lode et al., (1998), "Gene Therapy with a Single Chain Interleukin 12 Fusion Protein Induces T Cell-Dependent Protective Immunity in a Syngeneic Model of Murine Neuroblastoma," Proc. Natl. Acad. Sci. USA , 95:2475-80.				
	355	Lorenz et al., (1999), "Induction of Anti-Tumor Immunity Elicited by Tumor Cells Expressing a Murine LFA-3 Analog Via a Recombinant Vaccinia Virus," Hum. Gene Ther., 10:623-31.				
i i i i i	2356	Lotze et al., (1996), "Cytokine Gene Therapy of Cancer Using Interleukin-12: Murine and Clinical Trials," <u>Ann. NY Acad. Sci.</u> , 795:440-54.				
	2357	Macdougall et al., (1999), "Pharmacokinetics of Novel Erythropoiesis Stimulating Protein Compared with Epoetin Alfa in Dialysis Patients," J. Am. Soc. Nephrol., 10:2392-5.				
	2358	MacLean et al., (1996), "Enhancing the Effect of Theratope STn-KLH Cancer Vaccine in Patients with Metastatic Breast Cancer by Pretreatment with Low-Dose Intravenous Cyclophosphamide," J. Immunother., 19(4):309-316.				
	Maghazachi et al., (1997), "Interferon-Inducible Protein-10 and Lymphotactin Induce the Chemotaxis and Mobilization of Intracellular Calcium in Natural Killer Cells through Pertussis Toxin-Sensitive and -Insensitive Heterotrimeric G-Proteins," FASEB 1., 11:765-74.					
Exercise of with a Samuel of						

DATE CONSIDERED

_							
FORM PTO - 1449				ATTORNEY DOCKET NO.: LEX-011			
19	for i	ATR	NESCLOSURE STATEMENT	APPLICANT(S): Gillies et al.			
		1920	. (a) 15)	SERIAL NO.: 09/780,668	CONF. NO.: 8264		
1	À		September 1	FILING DATE: February 9, 2001	GROUP: 1644		
	98 m	PADEMA	OTHER ART, JOUR	NAL ARTICLES ETC.			
IN	KAM. IT.	ОТН	ER DOCUMENTS: (Including Author, Tit	e, Date, Relevant Pages, Place of Pub	lication)		
X	m	C360	Maloy et al., (2001), "Regulatory T Cells in	the Control of Immune Pathology," Nati	ure Immunol., 2:816-22.		
	ŀ	C361	Mariani et al., (1997), "Tumor Targeting Pot Fibronectin in Nude Mice Bearing Human To	ential of the Monoclonal Antibody BC- umor Implants," <u>Cancer</u> , 80:2378-84.	against Oncofetal		
		C362	Marshall et al., (1995), "Prediction of Peptid Nucleic Acids, 1(3):157-62.	e Affinity to HLA-DR Molecules," <u>Bior</u>	ned. Pept. Proteins		
		C363	Marshall, K.W., (1994), "Role of the Polymo of Peptide Ligands," J. Immunol., 152:4946-	orphic Residues in HLA-DR Molecules i 57.	n Allele-Specific Binding		
		C364	Martin et al., (2001), "Crystal Structure at 2.1 Dependent Binding," Mol. Cell., 7(4):867-77	8 Å of an FcRn/Heterodimeric Fc Comp	lex: Mechanism of pH-		
		C365	McDonald, (1986), "Cloning, Sequencing, ar Cell. Biol., 6:842-8.	d Evolutionary Analysis of the Mouse I	Erythropoietin Gene," <u>Mol.</u>		
		C366	McGonigle et al., (1984), "Erythropoietin Deficiency and Inhibition of Erythropoiesis in Renal Insufficiency," Kidney Int., 25(2):437-44.				
	!	C367	McMahan et al., (1991), "A Novel IL-1 Receptor, Cloned From B-Cells by Mammalian Expression is Expressed in Many Cell Types," EMBO J., 10:2821-32.				
	ΰ	C368	McMahon et al., (1990), "Pharmacokinetics and Effects of Recombinant Human Erythropoietin after Intravenous and Subcutaneous Injections in Healthy Volunteers," <u>Blood</u> , 76:1718-22				
		C369	Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T Lymphocytes," J. Immunol., 151:2444-52.				
	i	C370	Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300.				
		C371	Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.				
		C372	Morrison et al., (1984), "Chimeric Human Antibody Molecules: Mouse Antigen-Binding Domains with Human Constant Region Domains," Proc. Natl. Acad. Sci. USA, 81:6851-5.				
		C373	Nagao et al., (1992), "Nucleotide Sequence o	Nagao et al., (1992), "Nucleotide Sequence of Rat Erythropoietin," Biochim. Biophys. Acta, 1171(1):99-102.			
	1.	C374	Nastala et al., (1994), "Recombinant IL-12 A Gamma Production," J. Immunol., 153:1697-	dministration Induces Tumor Regression 706.	n in Association with IFN-		
		C375	Naughton et al., (1983), "Evidence for an Ery Disease," Acta. Haematol., 69:171-9.	thropoletin-Stimulating Factor in Patien	ts with Renal and Hepatic		
		G376	Noguchi et al., (1994). "A Mouse Mutant P53 Product Recognized by CD4+ and CD8+ T Cells." Proc. Natl.				

EXAMINER Said a Saunders DATE CONSIDERED 7/5/05

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 INFORMATION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 M 19 2008 FILING DATE: February 9, 2001 **GROUP: 1644** OTHER ART, JOURNAL ARTICLES ETC. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) EXAM. INIT. Orlandi et al., (1989), "Cloning Immunoglobulin Variable Domains for Expression by the Polymerase Chain Reaction," Proc. Natl. Acad. Sci. USA, 86:3833-7. C378 Palmer et al., (2001), "Phase I Study of the BLP 25 (MUC1 Peptide) Liposomal Vaccine for Active Specific Immunotherapy in Stage IIIB/IV Non-Small-Cell Lung Cancer," Clinical Lung Cancer, 3(1):49-57. C379 Palucka et al., (1998), "Dendritic Cells as the Terminal Stage of Monocyte Differentiation," J. Immunol., 160:4587-95. Panina-Bordignon et al., (1989), "Universally Immunogenic T Cell Epitopes: Promiscuous Binding to Human C380 MHC Class II and Promiscuous Recognition by T Cells," Eur. J. Immunol., 19:2237-42 Pavlovic-Kentera et al., (1980), "Effects of Prostaglandin Synthetase Inhibitors, Salt Overload and Renomedullary Dissection on the Hypoxia Stimulated Erythropoietin Production in Rats," Expt. Hematol., 8(Supp. 8):283-92. Pedley et al. (1999), "Enhancement of Antibody-Directed Enzyme Prodrug Therapy in Colorectal Xenografts C382 by an Antivascular Agent," Cancer Res., 59:3998-4003. Perussia et al., (1992), "Natural Killer (NK) Cell Stimulatory Factor or IL-12 Has Differential Effects on the C383 Proliferation of TCR-Alpha Beta+, TCR-Gamma Delta+ T Lymphocytes, and NK Cells," J. Immunol., 149:3495-502. C384 Pluschke et al., (1996), "Molecular Cloning of a Human Melanoma-Associated Chondroitin Sulfate Proteoglycan," Proc. Natl. Acad. Sci. USA, 93:9710-5. Poon et al., (1995), "Structure and Function of Several Anti-Dansyl Chimeric Antibodies Formed by Domain Interchanges Between Human IgM and Mouse IgG2b," J. Biol. Chem., 270:8571-7. C386 Queen et al., (1989), "A Humanized Antibody that Binds to the Interleukin 2 Receptor," Proc. Natl. Acad. Sci. <u>USA</u>, 86:10029-33. Radhakrishnan et al., (1996), "Zinc Mediated Dimer of Human Interferon-Alpha 2b Revealed by X-Ray C387 Crystallography," Structure 4:1453-63. Ramachandran et al., (1968)"Conformation of Polypeptides and Proteins," Adv. Prot. Chem., 23:283-438. (1968) (At Pgs. 285-94). Rarey et al., (1995), "Time-Efficient Docking of Flexible Ligands into Active Sites Of Proteins," Proc. Int. C389) Conf. Intell. Syst. Mol. Biol. 3:300-8. Resegotti et al., (1981), "Treatment of Aplastic Anaemia with Methenolone, Stanozolol and Nandrolone. A Report of 130 Cases," Panminerva Med., 23:243-8. C391 Riechmann et al., (1988), "Reshaping Human Antibodies for Therapy," Nature, 332:323-7. C392 Robinson et al., (1998), "Optimizing the Stability of Single-Chain Proteins by Linker Length and Composition Mutagenesis," Proc. Natl. Acad. Sci. USA, 95:5929-34.

EXAMINER GULL G SELLENCE DATE CONSIDERED

7/5/05

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-011 INFORMATION DISCLOSURE STATEMENT APPLICANT(S): Gillies et al. SERIAL NO.: 09/780,668 CONF. NO.: 8264 JAN 1 9 2005 FILING DATE: February 9, 2001 **GROUP: 1644** CTAADER OTHER ART, JOURNAL ARTICLES ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Rothmann et al., (1982), "Erythropoietin-Dependent Erythrocytosis associated with Hepatic Angiosarcoma," J. Surg. Oncol., 20:105-8. C394 Runkel et al., (1998), "Structural and Functional Differences Between Glycosylated and Non-Glycosylated Forms of Human Interferon-B (IFN-B)," Pharmaceutical Res., 15:641-649. C395 Sakano et al., (1980), "Two Types of Somatic Recombination are Necessary for the Generation of Complete Immunoglobin Heavy-Chain Genes," Nature, 286:676-683. C396 Sali et al., (1993), "Comparative Protein Modelling by Satisfaction of Spatial Restraints," J. Mol. Biol., 234:779-815. C397 Schecter et al., (1997), "Tissue Factor is Induced by Monocyte Chemoattractant Protein-1 in Human Aortic. Smooth Muscle And THP-I Cells," J. Biol. Chem., 272:28568-73. C398 Senior et al., (2000), "Cleavage of a Recombinant Human Immunoglobulin A2 (igA2)-IgA1 Hybrid Antibody by Certain Bacterial IgA1 Proteases," Infect. Immun., 68(2):463-9. C399 Sharp et al., (1988), "Codon Usage Patterns in Escherichia coli, Bacillus subtilis, Saccharomyces cerevisiae, Schizosaccharomyces pombe, Drosophila melanogaster and Homo sapiens; a Review of the Consdierable Within-Species Diversity," Nucleic Acids Res., 16(17):8207-8211. C400 Simonsen et al., (1983), "Isolation and Expression of an Altered Mouse Dihydrofolate Reductase cDNA," Proc. Natl. Acad. Sci. USA, 80:2495-2499. C401 Smith et al., (1981), "Identification of Common Molecular Subsequences," J. Mol. Biol., 147:195-197. Soligo et al., (1998), "Expansion of Dendritic Cells Derived from Human CD34+ Cells in Static And Continuous Perfusion Cultures," Br. J. Haematol., 101:352-63. Spivak et al., (1989), "The In Vivo Metabolism of Recombinant Human Erythropoietin in The Rat," Blood, C404 Sturniolo et al., (1999), "Generation of Tissue-Specific and Promiscuous HLA Ligand Databases Using DNA Microarrays and Virtual HLA Class II Matrices," Nat. Biotech., 17(6):555-61. Suliman et al., (1996), "Cloning of a CDNA Encoding Bovine Erythropoietin and Analysis of Its Transcription in Selected Tissues," Gene, 171:275-80. C406 Takahashi et al. (2000), "Immunologic Self-Tolerance Maintained by CD25+ CD4+ Regulatory T Cells Constitutively Expressing Cytotoxic T Lymphocyte-Associated Antigen," J. Exp. Med., 192(2):303-309. C407 Takai, (2002), "Roles of Fc Receptors in Autoimmunity," Nat. Rev. Immunol., 2(8):580-92. Taniguchi et al., (1980), "Expression of the Human Fibroblast Interferon Gene in Escherichia Coli," Proc. Natl. Acad. Sci. USA, 77:5230-5233.



FORM	PTO-	1449	ATTORNEY DOCKET NO : LEX-011		
INFOR	MATTRE	DEDISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.		
		હિલ્લા	SERIAL NO.: 09/780,668 CONF. NO.: 8264		
退場	V) 19	2005	FILING DATE: February 9, 2001 GROUP: 1644		
2, 9	PAGE	OTHER ART, JOUR	NAL ARTICLES ETC.		
EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT.			e, Date, Relevant Pages, Place of Publication)		
ODOS	C409	Thurner, (1999), "Generation of Large Numb Leukapheresis Products for Clinical Applicat	ers of Fully Mature and Stable Dendritic Cells from ion," <u>J. Immunol. Methods</u> , 223:1-15.		
	C410	Tiruppathi et al., (1996), "Isolation and Char Vascular Endothelial Cells," Proc. Nat. Acad	acterization of a Cell Surface Albumin-Binding Protein from . Sci. USA, 93:250-4.		
	C411	Van Den Eynde et al., (1989), "Presence on a Autologous CTL," Int. J. Cancer, 44:634-40.	Human Melanoma of Multiple Antigens Recognized By		
	C412	Van Der Bruggen et al., (1991), "A Gene End Human Melanoma," <u>Science</u> , 254: <u>1643</u> -7	coding an Antigen Recognized by Cytolytic T Lymphocytes on a		
	. C413	Van Heyningen <i>et al.</i> , (1982), "Human MHC 16:459-69	Class II Molecules as Differentiation Markers," Immunogenetics,		
12	C414	Voest et al., (1995), "Inhibition of Angiogene	sis in Vivo by Interleukin 12," J. Natl. Canc. Inst., 87:581-6.		
	. C415	C415 Von Heijne et al., (1986), "A New Method for Predicting Signal Sequence Cleavage Sites," Nucleic Acid Res., 14:4683-4690.			
	C416	Ward et al., (1995), "The Effector Functions of Immunology, 2:77-94.	of Immunoglobulins: Implications for Therapy," Therapeutic.		
	C417	Watson et al., (1984), "Compilation of Publis	hed Signal Sequences," Nucleic Acid Res., 12:5145-5164.		
	C418	Weitkamp et al., (1973), "Additional Data on Three New Variants," <u>Ann. Hum. Genet.</u> , 37:2	the Population Distribution of Human Serum Albumin Genes; 219-26.		
	C419	Wetzel et al., (2001), "BAY50-4798, an Interl Human and Chimpanzee T Cells Relative to N and Rodents," <u>ASCO Annual Meeting</u> , Abstra	eukin-2 (IL_2) Variant, demonstrates Selective Activation of IK Cells but Shows Less Selectivity for T Cells from Monkeys ct 1051		
	C420	Woof et al., (1986), "Localisation of the Mono Immunol., 23:319-30.	cyte-Binding Region on Human Immunoglobulin G," <u>Mol.</u>		
	C421	Wu et al., (1997), "Suppression of Tumor Growth with Recombinant Murine Angiostatin," Biochemical and Biophysical Research Communications, 236:651-654.			
	C422	C422 Wyatt et al., (1998), "The Antigenic Structure of the HIV Gp120 Envelope Glycoprotein," Nature, 393:705-11.			
	C423				
	C424	Yan et al., (1996), "Characterization of an Ig \ Increased Avidity for Antigen," J. Immunol., I	/H Idiotope that Results in Specific Homophilic Binding and 57:1582-8.		
V	C425	Yeh et al., (1992), "Design of Yeast-Secreted Antiviral Properties of a Serum Albumin-CD4	Albumin Derivatives for Human Therapy: Biological and Genetic Conjugate," Proc. Natl. Acad. Sci. USA, 89:1904-8.		

EXAMINER David a Survey DATE CONSIDERED 7/06/05

FORM P	TO - 1	449	ATTORNEY DOCKET NO.: LEX-011		
INFORT	ilflo	NUSCLOSURE STATEMENT	APPLICANT(S): Gillies et al.		
I / Iam	192		SERIAL NO.: 09/780,668	CONF. NO.: 8264	
# 3K:	108		FILING DATE: February 9, 2001	GROUP: 1644	
13.67	PADEL	OTHER ART, JOUR	NAL ARTICLES ETC.	- · · · · · · · · · · · · · · · · · · ·	
EXAM. INIT.		ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Pul	blication)	
Sus	C426	Zhang et al., (1994), "Structure/Activity And Mutagenesis. Identification of a Mutated Pro Biol. Chem., 269:15918-24.	alysis of Human Monocyte Chemoattra tein that Inhibits MCP-1-Mediated Mo	ctant Protein-I (MCP-I) by nocyte Chemotaxis," <u>J.</u>	
	C427	Zhu et al., (2001), "MHC Class I-Related No Monocytes, Intestinal Macrophages and Den	conatal Fc Receptor for IgG is Function dritic Cells," <u>J. Immunol.</u> , 166:3266-32	ally Expressed in	
V	C428 Zuckier et al., (1998), "Chimeric Human-Mouse IgG Antibodies with Shuffled Constant Region Exons Demonstrate that Multiple Domains Contribute to In Vivo Half-Life," Cancer Res., 58(17):3905-8.				
	ER _O S	Paint a facenceis	DATE CONSIDERED 7/	6/05	
3166771					

DATE CONSIDERED

EXAMINER